

City Of Sedona Community Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

The Single-Family Residential Building Permit Packet includes the following:

- 1. Residential Building Permit Application
- 2. Color and Material Sample Sheet
- 3. Outdoor Lighting Application
- 4. Owner-Builder/Developer Statement
- 5. Stormwater Pollution Prevention Guidelines
- 6. Customer Survey Form

More specific and detailed information about the City of Sedona Building Permit requirements and guidelines, including taxability of speculative builders, construction envelope fencing, storm water pollution prevention, use of City right-of-way, and color code marking for underground utility lines/Blue Stake can be obtained at the Community Development Front Counter or online at: www.SedonaAZ.gov/CD under "Permits".

Although you are building under the main jurisdiction of the City of Sedona, the information contained in this application packet may not list all requirements or regulations specific to your individual building project. If you need detailed information regarding specific requirements within your project, it is recommended that you contact the following agencies or offices with your concerns:

- City of Sedona Building Safety Division 928-282-1154
- Yavapai County 928-639-8100
- Coconino County 928-774-5011
- Sedona Fire District 928-282-6800
- Arizona Public Service 928-282-4000
- AZ Water Company 928-282-5555
- Unisource Gas Company 928-282-3919
- Your Homeowners Association (if applicable)

Relevant Ordinances & Timelines

The relevant ordinances governing this permit are:

- City of Sedona Land Development Code requirements, Articles 1-19 www.codepublishing.com/AZ/sedona/ldc.html
- City of Sedona City Code, Chapter 15 Buildings and Construction www.codepublishing.com/AZ/sedona
- Per these Ordinances, established by the Sedona City Council and Community and Economic Development Department, the following time frame applies:

Administrative Completeness	Substantive Review Time Frame	Overall	Authorizing Code
21 business days	21 business days	42 business days	City Code Title 15

NOTICE:

All applicants are entitled to request and receive a clarification from the City of Sedona regarding it's interpretation or application of any statute, ordinance, code or authorized substantive policy statement as required by Arizona Law, A.R.S. §9-836. You should send a written request, by letter or email, identifying the provision needing clarification, any facts relevant to the requested ruling, your proposed interpretation, and if the issues concern an existing license or a license application

STEPS FOR OBTAINING A SINGLE-FAMILY RESIDENTIAL BUILDING PERMIT

Step 1 - Getting Started!

The Community Development Department and Public Works Department can inform you of requirements for building in the City of Sedona. City staff is available to assist you with questions related to:

- **Zoning** For specific questions regarding setbacks, height limitations, lot coverage, exterior color, outdoor lighting standards and other zoning information zoning or land use requirements, please contact a Planner at 928-282-1154.
- **Building Code** For specific questions regarding construction and building requirements code compliance, design standards including seismic design, wind load, roof load, soil bearing and other building code related information, please contact the Plans Examiner at 928-282-1154.
- **Drainage, Grading and Sewer** For specific questions regarding drainage, grading, or sewer and sewer capacity fees please contact the Engineering staff at 928-204-7111
- Inspection For specific questions regarding inspection requirements, please contact a Building Inspector, 928-282-1154.

Step 2 - Complete the Application!

- Complete application and questionnaire. The application can be downloaded from the Community Development web page located at www.SedonaAZ.gov/cd. Click on the "Permits" button on the left hand side of the Community Development web page. On this page you will find a menu of different types of permits available, click on the type of permit you wish to apply.
- If access to the Internet is not available, a paper copy of the application can be obtained from the Community Development Department at 104 Roadrunner Drive or by calling 928-282-1154.
- Detailed instructions, applicable fees and other related information are available upon request from Community Development staff or online at www.SedonaAZ.gov/cd. Click on the "Permits" button on the left hand side of the Community Development web page for more information.

Step 3 - Submit the Application!

- Once you have a complete application including all the required documents, such as all applicable fees, site plans, construction drawings, etc., submit your application and all attachments to staff at the Community Development Front Counter.
- Upon receipt of a complete application, Community Development Department and Public Works staff will review the application it for completeness. Applications that are not complete or considered to be deficient will be returned and not processed at that time.
- Once Community Development and Public Works staff determine that the application is complete, appropriate staff members will review and process the application through a substantive review analysis.
- > Upon final substantive review and approval by Community Development and Public Works staff, a building permit will be issued and made available to you at the Community Development front counter.
- Please note: All applicants are entitled to request and receive a clarification from the City of Sedona regarding its interpretation or application of any statute, ordinance, code or authorized substantive policy statement as required by Arizona Law, A.R.S. §9-836. It is recommended that you submit a written request, by letter or email, identifying the provision needing clarification, any facts relevant to the requested ruling, your proposed interpretation, and if the issues concern an existing license or a license application.

Step Four: Begin Construction!

- > With the issuance of a building permit will be authorized to begin construction according to the approved plans and building permit.
- Approved plans must be available on the building site at all times. These plans need to be available to the Building Inspector. No work shall be deemed approved until required inspections are completed and the inspection card is updated and signed by the Building Inspector.
- You must post your inspection card and building permit in a conspicuous location at all times when construction begins and they must remain posted until all inspections have been completed and satisfied. The inspection card is

important as it is a record that the required inspections have been completed. Pursuant to the International Building Code, inspections are mandatory.

- > For all inspections, arrangements are to be made in the following manner:
 - Inspections are scheduled by phoning 282-3268 between the hours of 7:00 am and 3:30 pm, Monday through Friday. Based on scheduling, the Building Inspector will schedule all inspection request made between these hours for the following business day. Inspection requests received after 3:30 will not be scheduled for the following business day, but will be placed for inspection on the next business day after.
- When calling for inspections always reference your building site address and building Permit number. If you do not include this information, you may not receive your desired inspection. When calling regarding questions related to your building permit and construction activity or if complications arise during construction or alterations are made, please contact staff at 928-282-1154.

PERMIT APPLICATION INSTRUCTIONS

The following outlines the typical information needed to obtain a building permit for single family homes and duplexes.

Plan Review Information

■ PROJECT LOCATION

Community Development staff can assist you in providing the following information if you cannot obtain it on your own:

☐ ASSESSOR'S PARCEL #

☐ PROJECT ADDRESS

☐ LOT NUMBER and SUBDIVISION

☐ SUITE NO. and BUILDING NAME (If applicable)

OWNER INFORMATION

■ CONTRACTOR

Unless the project is exempt from State contracting license regulations, licensed general or specialty contractors must do all work. The project is exempt from contractor licensing regulations if:

- 1. It is not for sale or rent, AND
- 2. Is solely occupied by the property owner.

Any questions regarding contractors or license regulations should be directed to the Registrar of Contractors in Phoenix (602-542-1525) or Flagstaff (928-526-2325).

If a contractor will be used or is required for your project, the state requires that you provide:

☐ CONTRACTOR NAME AND ADDRESS

☐ LICENSE TYPE and NUMBER

☐ SALES TAX NUMBER

If the project is exempt from licensing regulations or the owner is hiring licensed specialty contractors for the work, indicate "Owner" for CONTRACTOR and complete the "Owner-Builder/Developer Statement" provided in this handout.

■ ARCHITECT / DESIGNER

Professional design is recommended but not required, plans may be returned for improvement prior to review if they are considered deficient. The plans examiner may also require engineering for certain elements of the structure.

State regulations do require professional design and construction drawings for duplexes and multi-family projects exceeding 3,000 square feet.

FLOOR AREAS

Provide the area of new living space, garages, carports, decks, covered patios, sheds and basements. For remodels, provide the existing floor area that is being modified.

For new residences, provide the building "footprint" defined as the area of the building at ground level within the foundation. Indicate the number of stories.

If multifamily, indicate the number of dwelling units..

Plan Review Deposit

A Plan Review deposit is required at the time of application. The amount of the deposit is based upon the living area of the new dwelling unit or a set fee established for additions. The deposit is applied toward the total permit fees calculated by the plan reviewer.

The following are the plan review deposits for new residential buildings, remodels and additions:

Living area up to 1000 sq. ft.

\$ 200

1000 to 2500 sq. ft.

\$ 600

2500 to 5000 sq. ft. \$ 800	Indicate finished floor elevations.
Over 5000 sq. ft. \$ 1000	☐ Indicate edge of pavement elevation at center of
Garages & carports \$ 75	driveway.
Guesthouse \$ 50	☐ Indicate the proposed driveway slope with finish
Residential remodels, additions, sun rooms,	pavement elevations.
patio covers & decks \$ 50	☐ Indicate all cut and fill slopes.
Pool or Spa \$ 100 ea.	☐ Indicate estimated quantities of cut and fill.
Fence or Wall \$ 50	☐ Indicate location and grading for on-site sewage
Photovoltaic system \$ 75	and disposal fields.
*An additional permit application and deposit is	☐ Indicate proposed and existing culverts, swales and
required for each detached or separate structure on the	underground drainage devices.
site.	☐ Indicate all retaining walls and fences. Indicate wall
	and fence heights above adjacent grade.
Plans Required	Indicate location, type and height of all exterior
Construction plan requirements for either county:	building and site lighting.
☐ 5 Complete Sets of Plans	☐ Indicate driveway material and finish.
The minimum size for all plans submitted shall be at	■ FLOOR PLAN
least 18" x 24" in size	☐ Label all rooms according to use.
All plans shall be drawn to scale and dimensioned.	☐ Indicate door sizes and direction of swing.
 Plans must be clear and legible and present enough 	☐ Indicate types of windows and sizes.
information to allow a thorough review to be	☐ Identify all appliances and plumbing fixtures.
performed by zoning, engineering, flood control and	☐ Indicate all stairs and ramps, including rise and run.
building safety staff members.	☐ Indicate the location and construction of all fire-
Plans considered deficient will be returned before	rated walls and ceilings.
processing the application.	☐ Show ceiling height of each room.
processing the application.	☐ Indicate location and method of bracing.
■ SITE AND GRADING PLANS	
(Scale: minimum 1"=20')	■ BUILDING CROSS SECTIONS
☐ Provide north arrow. Label all streets and	☐ Indicate full building cross-section(s), both
highways.	transverse and longitudinal, including
☐ Indicate property lines, easements, and edge of	footing/foundations or stem walls, floor slabs
street pavement.	and/or floor framing, roof framing, columns/beams
☐ Provide location of all proposed and existing	and/or bearing walls.
buildings, decks and covered patios.	☐ Identify the extent and construction of all fire rated
☐ Indicate distance (setbacks) from property lines to	walls and ceilings.
all buildings, decks and covered patios.	G
☐ Indicate proposed and existing site utilities.	■ EXTERIOR ELEVATIONS
 Location of natural gas meter and yard line. 	☐ Indicate natural grade and 22 foot imaginary height
 Location of flatural gas frieter and yard line. Location of L.P. tank and yard line. 	plane. May indicate on cross-section.
 Location of water service. 	☐ Indicate maximum building height:
 Location of water service. Location and size of electric service. 	 Elevation of lowest natural grade at the exterior
 Location of building sewer. 	wall or column.
	 Elevation of highest point of roof or parapet.
 Location of septic tanks, treatment plants and disposal areas. 	 If building is found to be over height, indicate
•	applied alternate standards calculations.
Indicate all native vegetation and trees, including	☐ Identify all exterior wall and roof materials.
those to be removed. Indicate canopy size and	☐ Identify finish floor level and indicate elevation(s).
species.	
Indicate with construction envelope fencing, the	
location of natural vegetation to be preserved.	
☐ Indicate existing and proposed topographic	
contours, using a minimum 2' contour).	

FOUNDATION PLAN and DETAILS Indicate all footings, wall, column, and pier sizes	•	OUTDOOR LIGHTING
and reinforcement.		Before a permit can be issued, information regarding all outdoor lighting is required. All proposed lighting must comply with the Outdoor
Indicate all lintel sizes, bolt sizes & spacing, metal post bases and beam seats.		Lighting Ordinance; Section 911 of the Land Development Code, and the following must apply
Show header sizes. Show joist size, spacing and direction of spans. Indicate or detail framing connections. Provide roof drain calculations based on 2½" rainfall per hour. Indicate roof framing (if applicable) and ventilation.		 (application within): Single-family additions less than 50% must submit a site plan and complete inventory detailing all existing and proposed outdoor lighting. Single-family additions greater than 50% must bring the entire site into conformance with all outdoor lighting requirements. All lighting fixtures are required to be fully shielded and installed so that the shielding complies with the definition of fully shielded light fixtures. Partially shielded light fixtures may be allowed, and are limited to a maximum of 5,500 lumens per net acre and shall not exceed 2,000 lumens per lamp. STORMWATER POLLUTION PREVENTION Develop site specific plan -or- provide notice of intent to abide by the city's general stormwater pollution prevention guidelines.
Indicate locations of smoke detectors. MECHANICAL PLANS		
Indicate location and type of all heating and cooling equipment. Indicate provisions for combustion air.		
PLUMBING PLAN Indicate all plumbing fixtures and floor drains. Provide an isometric drawing showing the size and type of all drain, waste, vent and supply piping.		
EXTERIOR PAINT Stain and roof samples indicating LRV. Provide paint and roof samples on the 8½" x 11" form provided in this handout		

Design Criteria and Adopted Codes ☐ 2006 International Building Code ☐ 2006 International Residential Code ☐ 2006 International Plumbing Code ☐ 2006 International Mechanical Code ☐ 2006 International Fuel Gas Code ☐ 2005 National Electrical Code ☐ Roof Live Load -- 25 PSF (ground snow) ☐ Wind Load – basic wind speed (3 second gust) is 90 mph. ☐ Wind Exposure B (unless a specific site is located in exposure C) ☐ IRC seismic design category: C (soils class D) ☐ IBC seismic category: C for groups I and II ☐ IBC seismic category: D for group III ☐ IBC: MCE map values: Ss=32.2 % g (short period map value) o S1=09.1% g (1.0 sec period map value) ☐ Site class (w/o soils report): D ☐ Soil Bearing -- 1500 PSF maximum unless a higher value is substantiated by soils testing. ☐ Rainfall: 2.5" per hour

Fire Sprinkler Systems

Fire sprinkler systems are required for all residences greater than 3600 square feet or constructed within gated communities. They may also be required if the home is more than 500' from a fire hydrant or if access to the home by the Fire Department is difficult. For questions regarding your specific fire sprinkler requirements, please contact the Sedona Fire District.

The system design and installation will be reviewed and approved by the Sedona Fire District located at 2860 Southwest Drive, Sedona. 928-282-6800.

Special Designations

Special approvals are required if your property is:
 □ An area with a slope greater than 30% where construction will occur. A soil and geology report identifying areas of unstable slope may be required.
 □ A historic building, or is located within a Historic District.

Subdivision Approval

Deed restrictions may require that each owner obtain subdivision architectural committee approval prior to beginning construction. It is the responsibility of the property owner to contact their subdivision's committee in order to comply with regulations.

Processing Times

Plans and permit applications are processed on a first come first serve basis. Review times vary with the complexity of the project, the current volume of permit applications, and the quality of the submittals received.

Subsequent submittals and additional time are sometimes required to address significant corrections or obtain other agency approvals before the permit can be issued.

Fees

BUILDING PERMIT

Plan review, building permit and grading fees are calculated upon review of the plans. Fees for new structures are based upon the combined areas of living space, garages, carports, decks and covered patios. Grading fees are established upon the quantity of cut or fill; whichever is larger.

Fees for remodels are most often based upon a percentage of those that are calculated for a new structure and vary with the extent and nature of the improvements. Remodel fees may also be established by calculating "unit fees" for each particular type of work involved.

Remodel fees are most often based upon a percentage of those that are calculated for a new structure and vary with the extent and nature of the improvements.

Remodel fees may also be established by calculating "unit fees" for each particular type of work involved.

■ DEVELOPMENT IMPACT FEES

Impact fees are a one-time fee paid by residential and non-residential developers to offset the demand of new development on municipal infrastructure. Fees will be paid when a building permit is issued.

For information regarding impact fee amounts, please refer to the table included in this packet.

■ SEWER CAPACITY FEE

The sewer capacity fee is due and payable at the time the building permit is issued for those properties authorized to connect to city sewer. Capacity fees, as well as monthly user fees, are established by the Base Sewer User Rates table.

Public Works staff can determine if a particular property may connect to the City Wastewater System and at what capacity fees will be assessed. Contact Public

■ INDIVIDUAL WASTE TREATMENT SYSTEMS An on-site sewage disposal system is required if your property cannot be served by city sewer. A permit to construct an individual sewage system permit can be obtained by applying to:

> Yavapai County Environmental Services 6th and Mingus Avenue Cottonwood, AZ 86326 928-639-8136 -or-

Coconino County Health Services 2500 N Fort Valley Road Flagstaff, AZ 86001 928-774-8941

If an alternate (aerobic) system is required, the system must be designed by an engineer who will submit to the appropriate agency for review, approval and permit issuance.

For remodels and additions:

If the improvements include additional bedrooms or plumbing fixtures, you may be required to verify that the existing treatment system is adequate for the increased discharge, or the existing system will require improvement.

A Permit to Construct an Individual Waste Treatment System must be obtained and a copy submitted to this department prior to the issuance of the building permit.

- WATER, NATURAL GAS and ELECTRIC UTILITY COMPANIES
 - Arizona Water Company
 65 Coffeepot Drive
 Sedona 928-282-5555
 - Oak Creek Water Company
 90 Oak Creek Boulevard
 Sedona 928-282-3404
 - Unisource Energy Services (natural gas)
 500 S. Willard Street
 Cottonwood, AZ 86326 928-634-5555
 - Arizona Public Service (electric)
 1250 E. Highway 89A
 Cottonwood, AZ 86326 928-646-8452

New electric service locations are required to be approved by Arizona Public Service.

Expiration of Plan Review and Building Permits

Permit applications expire 180 days after the date of submittal, unless a building permit has been issued. Building permits expire 180 days after issuance, unless construction is commenced and diligently pursued to completion. Progress inspections must occur at least once every 180 days in order to maintain an active permit. You may request a permit extension by completing the applicable form from Community Development. An extension may be granted for unforeseeable and justifiable delays.

Construction Inspections

All of the customary inspections required for new structures are listed on the job card you receive when your permit is issued. The particular inspections applicable to each project will vary dependent upon the nature of construction. Building Department staff may be contacted in order to determine the specific inspections required for your project.

It is the customer's responsibility to call for all required inspections. No portion of the construction work may be covered, concealed or put into use until approved by the inspector.

A final inspection of the project must be requested prior to occupying the structure or improvement. Failure to request a final inspection prior to occupying the structure may result in termination of utilities.

Inspections are conducted between 7:30 a.m. and 3:30 p.m. Monday through Friday. Inspections are scheduled by calling 282-3268 and leaving a voice message. To schedule an inspection, the applicant must call by 3:00 P.M. the day before you would like your inspection. Please leave permit number and type of inspection and if you would prefer an am or pm inspection.

Construction Inspections

All of the customary inspections required for new structures are listed on the job card you receive when your permit is issued. The particular inspections applicable to each project will vary dependent upon the nature of construction. Building Department staff may be contacted in order to determine the specific inspections required for your project.

It is the customer's responsibility to call for all required inspections. No portion of the construction work may be covered, concealed or put into use until approved by the inspector.

A final inspection of the project must be requested prior to occupying the structure or improvement. Failure to request a final inspection prior to occupying the structure may result in termination of utilities.

Inspections are conducted between 7:30 a.m. and 4:00 p.m. Monday through Friday. Inspections are scheduled by calling 282-3268 and leaving a voice message. To schedule an inspection, the applicant must call by 3:30 P.M. the day before you would like your inspection. Please leave permit number and type of inspection and if you would prefer an am or pm inspection.

Residential Building Permit Application



City Of Sedona Community Department

102 Roadrunner Drive Sedona, AZ 86336 #104

. (928) 282-1154 • Fax: (928) 204-7124

Check <u>all</u>	☐ New Construction ☐ Add		
that apply:	☐ Demo - Is the property 50 year	rs or older? If yes, please prov	vide documentation, photos, site plan & narrative.
PRIMARY	T		
CONTACT:		Phone:	Permit #:
		Cell	Parent
Address:		Phone:	Parent Permit #:
		T Hone.	T CITILE II.
E-mail:		Parcel #:	Date Rec'd:
Job Site Address:			Deposit Pd::
Project		*/do not include	e cosmetic improvements such as paint and carpet)
Valuation*:		(do not include	e cosmetic improvements such as paint and carpet)
	<u> </u>		
Scope of Work:			
<u> </u>			
	T	CONTRACTOR	
OWNER NAME:		CONTRACTOR NAME:	
Address:		Company:	
Phone:		Address:	
Cell Phone:		Phone:	_
Cell Phone.			
		Cell Phone:	
		E-mail:	
		City Business	
		License #:	
		ROC State License #:	
			+
ARCHITECT:		ENGINEER:	
Company:		Company:	
Address:		Address:	
Phone:		Phone:	
Cell Phone:		Cell Phone:	
E-mail:		E-mail:	
ID #/Exp. Date:		ID #/Exp. Date:	
City Business		City Business	+
, License #:		License #:	

	Existing Sq. Ft.	New Sq. Ft.		Existing Sq. Ft	New Sq. Ft.
Basement:			Garage:		
1 st Floor:			Covered Deck:		
2 nd Floor:			Covered Porch:		
3 rd Floor:			Uncovered Deck:		
Total:			Other:		
re Sprinklers?	□ Yes □ No				
 √ECHANICAL (indic	ate the number of	each new and/or r	elocated fixture type in t	he space below)	
Air Conditioner/Hea		Gas Cook T		Wall He	ater
ans-stationary, incl	l. whole house	Gas Dryer		Vents/S	ingle Duct
ireplace insert		Gas Piping	(# of outlets)	Water H	leater
urnace < 100,000 E	BTUs	Gas Stove/	Gas Stove/Range		
Other:		Other:	Other:		
PLUMBING (indicat	e the number of e	ach new and/or rel	ocated fixture type in the	e space below)	
Bathtub			Kitchen/Bath/Laundry Sink		ob
hower/Tub Combo		Dishwashe	Dishwasher		r Building tion
Toilet		Clothes Wa	Clothes Washer		
Other:		Other:			
Water Service: ☐ Yes ☐ No		If yes, size	of pipe:	Total # o	of Fixtures:

Print Name

Date

Signature

Color and Material Samples



City Of Sedona Community Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

All exterior colors must meet City color requirements for light reflective value (LRV) and chroma, as described in SLDC 904 and shown in the Munsell Book of Color, available for review in the Community Development Department.

Date Rec'd:	
Staff Initials:	
Approved:	
Not Approved:	

available for review in the Community Development Department.				Approved:		
			Not Approved:			
			0			
Owner:			Owner Phone:			
Contact			Contact			
Name:			Phone:			
Project			Plan Check			
Address:			No.:			
EXTER	OR WALL COLO	R	EXTERIOR TRIM	COLOR		
aint m	anufacturer:		Paint manufacture	er:		
Paint na	ame:		Paint name:			
	(ATTACH	SAMPLE)		(ATTACH SAMPLE)		
ROOF	COLOR		FENCE/WALL CO	DLOR (if applicable)		
∕lanufa	acturer's number:		Paint manufacture	er:		
Manufacturer's name:		Paint name:				
				· · · · · · · · · · · · · · · · · · ·		
(ATTACH SAMPLE)			(ATTACH SAMPLE)			

IMPORTANT:

Remember to indicate all exterior materials on the submitted sample board (e.g. stucco, wood siding, red rock, etc.). When necessary, exterior material samples will be required by the Director and must be provided.

Applicant Signature

Outdoor Lighting Application Part 1



City Of Sedona Community Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

Applicant Name:	Phone:	Permit # B
Address:	Cell Phone:	Date Rec'd
E-mail:	Fax:	Staff Initials
The following is for COMMERCIAL	only.	Approved: Yes No
2. Site Identification		
Parcel #:		
Building Site Location:		
Business Name (if applicable):		
3. Lumen Information for Non-res	sidential and Multi-family Use Only: - Comm	nercial only
Gross acres of		

4. Type of Shielding and Lumens Proposed: - Commercial only -See Lumen Calculation Table (page 2)

X 100,000* =

Fully Shielded Fixtures - Lumens Proposed:	
Partially Shielded Fixtures - Lumens Proposed:	
TOTAL LUMENS PROPOSED: (fully + partially shielded fixtures)	

entire site:
Acres for

Public Right-of-Way:

Net Acreage of Site:

^{*}Total outdoor light output shall not exceed 100,000 lumens per net acre for all development except single-family residential uses. This cap is not intended to be achieved in all cases or as a design goal. Instead, design goals should be the lowest levels of lumens necessary to meet the lighting requirements of the site. Partially shielded light fixtures are limited to a maximum of 5,500 lumens per net acre and are counted towards the 100,000 lumens per net acre cap.

Outdoor Lighting Application

Part 2 – Inventory

Lighting Inventory and Lumen Calculation Table

- Refer to page 3 for an example of a plan view diagram and completed table.
- List all new or proposed lighting first, then any existing light.
- Include any lighting proposed for external illumination of signs.
- Attach photometric data sheet or manufacturer's product description for all lights, both new and existing (must include lumens). If such data is not available for existing fixtures that will be retained, include photographs of the fixtures showing sufficient detail to determine the shielding characteristics.
- Please include a Site Plan identifying all proposed and existing lighting fixtures.

Lamp Type	Key: LPS HPS MH FL IN	Low Pressure S High Pressure S Metal Halide Fluorescent Incandescent (i	Sodium		Shielding Key:	P Partia	Shielded Ily Shielded ielded	
Plan Key (ID)*	Light Class (1, 2, or 3)	Lamp Type (LPS, HPS, MH, FL, IN)	Initial Lumens	No. of Units	Shielding (F, P, or U)	Watts (each)	New or Existing (N or E)	Total Lumens
						Tot	al Lumens =	
		first column must	•	_			sting exterior li	ghting.
Applicant S	Signature:				Date:			

Outdoor Lighting Application Example Inventory

Example of a Lighting Inventory and Lumen Calculation Table

Plan Key (ID)*	Light Class (1, 2, or 3)	Lamp Type (LPS, HPS, MH, FL, IN)	Initial Lumens	No. of Units	Shielding (F, P, or U)	Watts (each)	New or Existing (N or E)	Total Lumens
Α	1	FL	2,975	7	F	35	N	20,825
В	1	IN	1,750	6	F	100	N	10,500
С	2	LPS	13,500	2	F	135	N	27,000
D	1	МН	16,000	2	F	250	N	32,000
						To	tal Lumens =	90.325

^{*}Plan key identification in first column must correspond to labeling on site plan map, as shown below.

Lamp Type Key: LPS Low Pressure Sodium

HPS High Pressure Sodium

MH Metal Halide

FL Fluorescent


IN Incandescent (including quartz-halogen)

Shielding Key: F Fully Shielded

P Partially Shielded

J Unshielded

Example - Plan View:



Owner-Builder/Developer Statement Part 1 - Exemption from Contractor Licensing Requirements



City Of Sedona Community Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

Arizona Revised Statutes, 32-1121, items 1-16, allows exemptions from state licensing requirements under the following conditions (items 5 & 6 are common to the area and are reproduced below):

(Owner-Builder) Item 5. "Owners of property who improve such property or who build or improve structures or appurtenances on such property and who do the work themselves, with their own employees, or with duly licensed contractors, if the structure, group of structures or appurtenances, including the improvements thereto, are intended for occupancy solely by the owner and are not intended for occupancy by members if the public as the owner's employees or business visitors and the structures or appurtenances are not intended for sale or for rent. In all actions brought under this chapter, proof of the sale or rent, or the offering for sale or rent of any such structure by the owner-builder within one year after completion or issuance of a certificate of occupancy is prima facie evidence that such project was undertaken for the purpose of sale or rent. As used in this paragraph "sale" or "rent" includes any arrangement by which the owner receives compensation in money, provisions, chattels, or labor from the occupancy or the transfer of the property or the structures on the property." (Owner-Developer) Item 6. "Owners of property who are acting as developers and who build structures or appurtenances to structures on their property for the purpose of sale or rent and who contract for such a project with a general contractor licensed pursuant to this chapter and owners of property who are acting as developers, who improve structures or appurtenances to structures to their project for the purpose of sale or rent and who contract for such a project with a general contractor or specialty contractors licensed pursuant to this chapter. To qualify for the exemption under this paragraph, the licensed contractors' names and license numbers shall be included on all sales documents." NOTE: Commercial zoning requires commercially licensed contractors. If an owner is allowed to utilize his own employees, the owner is required to: a) provide each employee with unemployment and workman's compensation insurance, b) have a Federal and State Tax I.D. number, and c) withhold and file Federal and State income tax for each employee. I CERTIFY THAT I AM NOT REQUIRED TO BE LICENSED OR UTILIZE A LICENSED GENERAL CONTRACTOR FOR THE WORK AUTHORIZED BY BUILDING PERMIT NO. B_ ON THE BASIS THAT (check all that apply): ☐ The structure is **not for sale or rent** and is **solely owner occupied**. ☐ The improvements are for sale or rent and all work will be done by licensed contractors identified on the back of this form. ☐ The improvements will be occupied by the general public and all work will be done by licensed contractors

VIOLATION OF ARIZONA CONTRACTORS LICENSING
IS A CLASS ONE MISDEMEANOR UNDER ARS 32-1151 AND 32-1154.

Date

Signature of Owner

identified on the back of this form.

Owner-Builder/Developer Statement

Part 2 - Licensed Contractors

ELECTRICAL CONTRACTOR	Phone:
Name:	
Address:	ROC License No.:
Email	City License No.:
MECHANICAL CONTRACTOR	
Name:	Phone:
Address:	License No.:
Email	City License No.:
PLUMBING CONTRACTOR	
Name:	Phone:
Address:	ROC License No.:
Email	City License No.:
OTHER CONTRACTOR (specify):	
Name:	Phone:
Address:	ROC License No.:
Email	City License No.:
OTHER CONTRACTOR (specify):	
Name:	Phone:
Address:	ROC License No.:
Email	City License No.:
OTHER CONTRACTOR (specify):	
Name:	Phone:
Address:	ROC License No.:
Email	City License No.:
	Sity Electrical results
OTHER CONTRACTOR (specify):	
Name:	Phone:
Address:	ROC License No.:
Email	City License No.:

General Stormwater Pollution Prevention Guidelines



City Of Sedona Public Works Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 204-7111 • Fax: (928) 282-5348

NOTICE OF INTENT

The Sedona City Engineer, pursuant to Chapter 13.50.090 of the Sedona City Code, publishes these guidelines. They are minimum criteria for measures to be taken to reduce stormwater pollution from various sources.

Chapter 13.50.090E of the City Code provides that the "smaller areas may develop a site-specific plan or provide a notice of intent to abide by the city's general storm water pollution guidelines." The Notice of Intent (NOI) is provided below. If a site-specific plan is not provided, the Notice of Intent shall be provided in cases where a permit is required for grading, new building construction, or building modification. The City of Sedona Notice of Intent may only be used for projects that meet the criteria below (1 acre = 43,560 square feet). There is no fee for this City of Sedona Notice of Intent.

All construction activity that disturbs:

Permit Number/Project Name:

- a. one or more acres of land, or
- b. less than one acre but is part of a larger common plan of development, such as a platted subdivision that has potential to disturb greater than one acre (e.g. remaining undeveloped lots in subdivision),

must obtain permit coverage from ADEQ. There are fees associated with ADEQ coverage. Please visit the following URL (https://az.gov/app/smartnoi) for more information and to obtain an AZPDES General Permit.

Any project less than one acre, is not part of a larger subdivision (e.g. meets and bounds), or is within a subdivision that has less than one acre of disturbance potential remaining, is eligible for this Notice of Intent.

THIS FORM MUST BE COMPLETELY FILLED OUT TO BE ACCEPTED

(Provide permit number and/or project name)			
Property Owner: (Provide the name of the property owner)			
Compliance Responsibility: (Provide names for person (or persons) responsib and maintenance of stormwater BMPs/devices for	•		
Size of the project area: (Enter the project area in square feet or acres that construction. 1 acre = 43,560 square feet)	t will be disturbed during		
Project time frame: (Enter the number of days for the project buildou	t to completion)		
The responsible person and the person of the require that all construction work and resthe requirements of the City of Sedon understand that failure to meet the men work on the property until the requirem under law.	lated activity be con a General Stormwat tioned requirements	ducted in accordance with the Sedona er Pollution Prevention Guidelines. Powill be sufficient cause for the City to r	City Code and ersons further restrict or stop
In lieu of preparing a site-specific Stormv the City of Sedona General Stormwater P			o comply with
Signature: Property Owner	Date Si	gnature: Person Responsible for Compliance	Date
Page 1 of 2 L:\City of Sodo	na Stormwator NOI\(Current Pavisian\City of Sadana Starmy	vator NOI docy

City of Sedona Stormwater Pollution Prevention Best Management Practices

There are a number of "Best Management Practices" (BMPs) that can reduce pollution in the municipal separate storm sewer system. The City of Sedona is committed to encouraging and requiring the implementation and maintenance of good practices throughout the city.

Erosion Control

Measures to control erosion of dirt, rock, and other debris with the eroded material being carried into the storm system by runoff:

- 1. Cover or seed piles.
- 2. Use and maintain settling ponds.
- 3. Compact soils well.
- 4. Don't run water over steep slopes, loose dirt, or loose rock.
- 5. Avoid long, steep slopes.
- 6. Use hay, wattles, or similar material to slow water.
- 7. Use silt fences to contain eroded material.
- 8. Do not store or leave loose material in waterways.
- Phase construction to minimize exposed dirt and loose rock areas.
- Use rock, filter cloth, or other material over storm drain inlets to filter eroded material out of the water
- 11. Place containment barriers around all exterior storage areas.

Trash and Debris Control

Measures to limit the amount of trash and garbage reaching the storm system:

- 1. Put solid waste into trash containers, not the wash.
- 2. Put cups, wrappings, bags, and other trash in trashcans. Don't litter.
- 3. Put landscape clippings, and other vegetative waste | 4. into trashcans. | 5.
- 4. Make sure that trashcans are not overfilled on windy days.
- 5. Use rock, filter cloth or other material over storm drain inlets to filter debris out of the water.
- 6. Businesses should provide adequate and easily located trash receptacles for customers.
- Discard diapers, bottles, cans, cigarette butts, string, can pull tabs, and other debris in trash cans not on sidewalks, streets, or the ground.

Oil, Grease, and Gasoline Control

Measures to reduce the amount of oil, grease, and gasoline related to cars and trucks from reaching the storm system:

- 1. Have oil and grease changed at a professional mechanics shop.
- 2. Wash your vehicles at a commercial car wash.
- If you change your own automotive fluids capture them in a proper container and take them to a recycling center.
- 4. Parking lot drainage should be filtered prior to being discharged to the City system or offsite.
- 5. Maintain the filter devices or area by periodically removing the filter material and replacing it with fresh filter material.
- 6. Keep the area around grease traps and grease containers free of dripping or spilled oil and grease.
- 7. Use absorbent material to collect spills and dispose of swept materials properly.
- 8. Sweep streets and parking lots frequently.

Dirt/Dust Control

Measures to control dirt and dust being washed off of surfaces and carried to the storm system by runoff:

- 1. Cover or seed piles.
- 2. Keep dirt piles moist.
- 3. Don't track mud or dirt onto streets and sidewalks.
- 4. Avoid working in muddy conditions.
- 5. Maintain and refresh rock pads in the entrance to construction areas and keep tires clean.
- 6. Sweep sidewalks, driveways, and streets areas rather than washing them down.
- 7. Use rock, filter cloth or other material over storm drain inlets to filter silt out of the water.

Miscellaneous Tips

These measures address a number of ways to reduce the introduction of pollutants into the storm system:

- 1. Do not connect the sanitary sewer or other waste piping to the storm system, they are separate systems.
- 2. Do not wash paint, solvents, concrete, or other construction materials into the storm system.
- 3. Pick up after your animals. Scoop the poop!
- 4. Place containment barriers around all exterior chemical storage areas.
- 5. Do not overuse pesticides, insecticides, or solvents.
- 6. Maintain BMPs to keep them effective.

Customer Satisfaction Survey



City Of Sedona Community Development Department

102 Roadrunner Drive Sedona, AZ 86336 (928) 282-1154 • Fax: (928) 204-7124

We are currently in the process of evaluating our customer service, and need your feedback so we may improve even further. Please take a moment to complete the survey below, and let us know how we are doing.

How was contact mad ☐ Front Counter	de? □Phor	ne I	⊐ Email	☐ Field Employee	☐ Website	□ Other:		
Which division of Con ☐ Building Safety		Developme nning and λ		tact? □ Code Enforceme	nt 🗆 Other:			
Please rate the follow	ving:	Strongly Agree	Agree	Disagree	Strongly Disagre	' ΙΝΙ / Δ		
Staff was helpful, courteous and professional.								
Staff provided clear, concise, and accurate information.								
Staff responded to my needs in a timely man								
Employees of Commu Development demons a willingness to help customers.								
Staff members demonstrate knowled and expertise.	lge							
Community Developm makes information ea accessible and available	isily							
I am satisfied with the range of services prov by Community Development.								
Thinking about Community Development as a whole, would you say the permitting process is: □Improving □ About the same □ Needs improvement								
My overall service exp □ Poor □ F			⊐ Good	□ Great	□ Exce	llent		
Continue on back $ ightarrow$								

Comments:						
Please explain why you rated us as you did, and provide any suggestions on how we might serve you better in the						
future.						
(Optional)						
Your Name:						
Email Address:						
Phone:						
FIGURE.						
May we contact you to follow up? ☐ Yes ☐ No						
Please leave your completed survey at the front counter or mail to the address above or fax to: 928-204-7124.						
Thank you for your time – we appreciate your feedback!						

Page | 2 of 2