

ADDENDUM # 1
REQUEST FOR PROPOSAL

FOR

CITY OF SEDONA

WASTEWATER DEPARTMENT

WELL # 1 AREA FENCE CONTRACT

To Whom It May Concern:

The City of Sedona, Arizona is issuing **Addendum #1** to the plans and specifications as originally issued at the time of solicitation for bids for the Well #1 Area Fence Contract. **This amendment is issued on February 2, 2016 and revises the Quote Response Form.**

For any bid to be considered responsible and responsive, receipt of this addendum must be acknowledged. Acknowledgement shall consist in completing the revised Quote Response Form and submitting it when responding to the Request For Proposal.

This Addendum contains 4 pages including this page, 2 changed bid sheets, 0 plan sheets, and 0 additional Technical Specification. Any changed bid sheets shall be used in lieu of the originally issued bid sheets in order to submit a responsive bid.

This Addendum modifies the following:

Item 9 of the Instructions to Proposers is revised to read,

9. Each Proposal shall state, **as applicable to the work**, its Arizona State Contractor's License number and category, and its Arizona Office of Pest Management License number (s) in the proposal. The names of proposed lead applicators for this shall also be stated in the proposal.

This Addendum changes the following:

Quote Response Form

Addendum # 1 issued by Charles Mosley, PE, Director of Wastewater, City of Sedona Wastewater Department


Charles Mosley, PE Director of Wastewater

02/02/2016
Date

CITY OF SEDONA
Well #1 Area Fence Project

CITY OF SEDONA
Well #1 Area Fence Project

QUOTE RESPONSE FORM (REVISED)

(due by February 9, 2016 at 3PM)

JOB QUOTE REQUEST #

JOB LOCATION: City of Sedona Wastewater Reclamation Plant

DESCRIPTION (JOB SCOPE)	Bid Item and Quantity	Unit and UNIT PRICE	NOT TO EXCEED TOTAL PRICE (Bid prices submitted shall be held for forty-five days and are considered to have included all local, state and federal taxes)
<p>1. Clear and Grub Trees, brush, and debris shall be cleared along the alignment (5-foot width minimum) sufficient to install fence. Existing berms shall be restored to shape and height prior to construction. Cavities resulting from clear and grub shall be carefully backfilled with clean soil and compacted to a minimum 85% .Contractor shall be responsible for removal of clear and grubbed material to offsite and proper disposal of same. Care shall be taken not to damage/disturb the existing well and fencing.</p>	1 1	LS	
<p>2. Survey The alignment of the fence shall be staked by a licensed surveyor 2 working days prior to starting excavation for the posts. The City be contacted in writing and a staking sheet provided by Contractor 2 working days prior to excavation for inspection of alignment. Ends, straight alignment midpoints, angle points, gate posts shall at a minimum be staked.</p>	2 1	LS	
<p>3. Fencing Fencing conforming to 2012 ADOT Specification Section 903 Drawing C-12.10 (Sheets 2 and 5), the attached "Well #1 Area Fence" drawing, "Erosion Control Pad" drawing, and "Junction Structure" drawing shall be installed. The fence alignment is along the olive (A to B), purple (B to C) and green (C to D) lines. The fence shall be Type 2 Barbed Wire. The installation shall include ties to existing fencing/posts with wire of no less gauge than newly installed fence wire gauge. The bid quantity will be paid unless measured quantity is less than 1000 LF or more than 1200 LF. If the quantity is outside these quantity limits payment will be the unit price applied to the actual measured quantity installed to the nearest</p>	3 1080	LF	

CITY OF SEDONA
Well #1 Area Fence Project

<p>foot. The gate shall not be included in the fence measurement. <u>The control for the fence alignment shall be a line from point A to the top center of existing well #1 well head.</u></p>			
<p>4. 14 – foot Gate A 14-foot wide gate Type 1 per 2012 ADOT Drawing C-12.10 (Sheet 3) shall be installed between fence corners C and D. The fence shall be located in the vicinity of corner C. The actual location may be adjusted along the fence so that the gate is approximately centered on an existing access path. Latching hardware capable of accepting a padlock with a ¼” shackle shall be installed on the gate. Provide a sheet showing the latch to the City for its review and approval prior to installing. Payment for the gate shall be lump sum and include compensation from hinge post to latch post.</p>	4 1	LS	
<p>This bid is for a fence and gate installed complete approximately along the alignment identified in the bid request documents. Compensation for compliance with all portions of the bid documents, including but not limited to the specifications, quote document, contract, and drawings provided and referenced in the bid documents is considered as included in the bid submitted, and no additional compensation is allowed therefor. The work is to be warranted for 730 days after written acceptance of the work as complete. Contractor agrees to correct deficient work and materials, during the warranty period, within 15 calendar days of written notice of defect by the City. 30 (Thirty) calendar days is allotted for this work. Liquidated damages in the amount of \$50 per day may be assessed by the City for late completion of the work.</p>			
<p>The below named documents are essential parts of the Contract, and a requirement occurring in one is as binding as though occurring in all. They are intended to be complementary and to describe and provide for a complete work. In case of discrepancy, the order of precedence is as follows:</p> <ol style="list-style-type: none"> 1. Change Orders 2. Contract (this document), including addenda 3. Payment and Performance Bonds 4. Advertisement for Bids 5. Information for and Instructions to Bidders 6. Notice of Award 7. Notice to Proceed 			

CITY OF SEDONA
Well #1 Area Fence Project

8. Special Conditions 9. Bid Proposal 10. Technical Specifications 11. Plans and Drawings 12. General Conditions 13. Bid Guaranty Bond 14. Standard Specifications				
<p>In the event there is a conflict between any of the above listed documents, the provision of the document with the lower numerical value shall govern those documents with a higher numerical value. Within a category, the last in time is first in precedence.</p>				
			N/A	
	TOTAL			\$ _____
	Including taxes, insurance, and all other costs			

Company Name: _____
 Address: _____

 Phone _____ Fax _____

Submitted by: _____
Print Name

Signature

Date

ROC #

Disputes related to this bid and contract shall be considered as within Yavapai County, Arizona and subject to jurisdiction of courts therein. The provisions of Article 3.10.010 of the City Code shall apply to this contract as a precedent to proceeding with other actions against the City.