



City of Sedona Public Works Department

102 Roadrunner Drive Sedona, AZ 86336
(928) 204-7111 • Fax: (928) 282-5348

To Whom It May Concern:

The City of Sedona, Arizona is issuing **Addendum # 1** to the plans and specifications as originally issued at the time of solicitation for bids for the **SR 179 Pedestrian Crossing at Oak Creek**. For any bid to be considered responsible and responsive, receipt of this addendum must be acknowledged.

This Addendum extends the bid period and provides a new date for which sealed bids must be submitted by, makes changes to the bid schedule and plans, and removes the requirement of a Mandatory Pre-Bid Meeting.

As specified in the Instructions to Bidders this Addendum upon issuance becomes a part of the Contract Documents. This Addendum consists of 2 pages including this page (excluding attachments).

This Addendum changes or adds the following:

1. ADVERTISEMENT FOR BIDS

Replace the first sentence of the first paragraph on Page 2 of the Contract Documents written as "Sealed bids for the construction of the SR 179 Pedestrian Crossing at Oak Creek will be received by the Public Works Department, located at 102 Roadrunner Drive, Sedona, Arizona, until 2:30 P.M. local time, November 1, 2022." **with the following:**

"Sealed bids for the construction of the SR 179 Pedestrian Crossing at Oak Creek will be received by the Public Works Department, located at 102 Roadrunner Drive, Sedona, Arizona, until 2:30 P.M. local time, December 6, 2022."

2. ADVERTISEMENT FOR BIDS

Replace the fourth listed item under the third paragraph on page 3, written as "AND RECEIVED: At the Public Works Department until 2:30 P.M. local time, November 1, 2022 (as determined by reference to www.time.gov ref Arizona area)." **with the following:**

"AND RECEIVED: At the Public Works Department until 2:00 P.M. local time, December 6, 2022 (as determined by reference to www.time.gov ref Arizona area)".

3. CONTRACT DOCUMENTS

Replace all references relative to or written as "mandatory pre-bid meeting" or "pre-bid conference (mandatory)" **with the following:**

"non-mandatory pre-bid meeting" or "pre-bid conference (non-mandatory)" as applicable.

4. BID PROPOSAL (Pages 23 to 34)

Replace the Bid Schedule (including Alternative Bid Items) beginning on page 26 and ending on page 33 of the Contract Documents **with the following:**

"Bid Schedule (Rev. 10/18/22)" pages 26 thru 33 as provided in listed attachment 1 of this Addendum 1.

Noted changes to the Bid Schedule are as follows:

- REMOVED: Bid Item 2.2.43 – FORCE ACCOUNT WORK (LS AND IR RESTORATION).
- REMOVED: Bid Item 2.2.67 – FORCE ACCOUNT WORK (ELECTRICAL SERVICE).

5. DRAWINGS:

5.1. Replace plan sheet number 5 of 44 (Sheet ID: C5), **with the following:**

Revised sheet 5 of 44 (C5) engineer seal dated 9/29/2022, as provided in listed attachment 2.1 of this Addendum 1.

5.2. Drawing Sheet No. 6 of 44 (Sheet ID: C6), Removal Notes:

Replace Removal Note number 13, written as "RELOCATE AND ROTATE EXST WATER METER VALVE, PER AWC DTL E-9-11-1" **with the following:**

"REPLACE AND RELOCATE EXISTING 2-INCH WATER SERVICE CONNECTION, PER DTL E-9-11-1"

5.3. Drawing Sheet No. 6 of 44 (Sheet ID: C6), Removal Notes:

Replace Removal Note number 14, written as "REMOVE EXST WATER VALVE, PER AWC SPECIFICATIONS" **with the following:**

"REMOVE EXST 2-INCH BLOW OFF ASSEMBLY AND REPLACE WITH 90 (DEGREE) MJ ELBOW, 6 LF OF 6-INCH DIP, AND TRANSITION COUPLINGS E-9-8-1 AND E-9-5-1"

This Addendum includes the following attachments:

1. Bid Schedule (Rev. 10/18/22), pages 26 thru 33.
2. Drawing(s):
 - 2.1. Revised sheet 5 of 44 (Engineer Seal date 9/29/22).

END OF ADDENDUM #1

ACKNOWLEDGEMENT


I have received addendum # 1 for the **SR 179 Pedestrian Crossing at Oak Creek** as described above and acknowledge it as part of the Contract Documents for the project.

Signature

Date

Print Business Name

Addendum #1 issued by J. Andy Dickey, PE, Assistant City Manager and Director of Public Works/City Engineer



J. Andy Dickey, PE Assistant City Manager and Director of Public Works/City Engineer

10/20/22
Date

Bid Schedule (Rev.10/18/22)

**City of Sedona – SR 179 Pedestrian Crossing at Oak Creek
Project # 2022 SIM-4C**

| ITEM NO. | ITEM DESCRIPTION | UNIT | QUANTITY | UNIT PRICE | AMOUNT |
|-----------------|--|-------------|-----------------|-------------------|---------------|
| 1.8 | MATERIALS TESTING | JOB | 1 | \$ | \$ |
| 1.9 | CONSTRUCTION SURVEY AND LAYOUT | JOB | 1 | \$ | \$ |
| 1.10 | AS-BUILT PREPARATION | JOB | 1 | \$ | \$ |
| 2.2.1 | MOBILIZATION/DEMOBILIZATION | JOB | 1 | \$ | \$ |
| 2.2.2 | MAINTENANCE AND PROTECTION OF TRAFFIC | JOB | 1 | \$ | \$ |
| 2.2.3 | STORM WATER POLLUTION PREVENTION PLAN | JOB | 1 | \$ | \$ |
| 2.2.4 | REMOVE AND SALVAGE EXISTING PROPERTY WALL | LF | 78 | \$ | \$ |
| 2.2.5 | REMOVE EXST SITE WALL | LF | 22 | \$ | \$ |
| 2.2.6 | REMOVE AND SALVAGE EXST POLE WITH WIND ART | EACH | 3 | \$ | \$ |
| 2.2.7 | REMOVE AND SALVAGE EXST TLAQUEPAQUE ARCH SIGN | EACH | 1 | \$ | \$ |
| 2.2.8 | REMOVE EXST ASPHALTIC CONCRETE PAVEMENT | SY | 15 | \$ | \$ |
| 2.2.9 | REMOVE EXST CONCRETE SIDEWALK | SF | 381 | \$ | \$ |
| 2.2.10 | REMOVE AND STOCKPILE EXISTING EROSION PROTECTION | LSUM | 1 | \$ | \$ |
| 2.2.11 | REMOVE EXST GABIONS | SF | 120 | \$ | \$ |
| 2.2.12 | REMOVE AND RELOCATE EXST WATER QUALITY BOX | EACH | 1 | \$ | \$ |
| 2.2.13 | RELOCATE FIRE HYDRANT | EACH | 1 | \$ | \$ |
| 2.2.14 | RELOCATE EXSTING PROPERTY WALL LIGHTS | EACH | 2 | \$ | \$ |
| 2.2.15 | RELOCATE AND ROTATE EXST WATER METER | EACH | 1 | \$ | \$ |
| 2.2.16 | RELOCATE EXST LIGHT POLE | EACH | 2 | \$ | \$ |
| 2.2.17 | RELOCATE EXST CATV BOX | EACH | 1 | \$ | \$ |

| | | | | | |
|--------|---|------|-------|----|----|
| 2.2.18 | ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270 | EACH | 1 | \$ | \$ |
| 2.2.19 | REMOVE EXST DUMPED RIPRAP | CY. | 735 | \$ | \$ |
| 2.2.20 | RELOCATE EXST TELCO PEDESTAL | EACH | 1 | \$ | \$ |
| 2.2.21 | TREE PROTECTION SHORING | LSUM | 1 | \$ | \$ |
| 2.2.22 | TEMPORARY FILL STABILIZATION | LSUM | 1 | \$ | \$ |
| 2.2.23 | SUBGRADE PREP | SY | 764 | \$ | \$ |
| 2.2.24 | CHANNEL EXCAVATION (INCL. HAUL OFFSITE) | CY | 1,765 | \$ | \$ |
| 2.2.25 | AGGREGATE BASE COURSE | TON | 151 | \$ | \$ |
| 2.2.26 | SIDEWALK TOEDOWN | SF | 611 | \$ | \$ |
| 2.2.27 | CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH | SF | 5,589 | \$ | \$ |
| 2.2.28 | CONCRETE PAVERS | SF | 104 | \$ | \$ |
| 2.2.29 | CURB MOUNTED DECORATIVE RAILING | LF | 129 | \$ | \$ |
| 2.2.30 | MEDIAN BOLLARDS AND CHAIN (SPECIAL DETAIL) | EACH | 4 | \$ | \$ |
| 2.2.31 | 3-FT MAN GATE WITH LOCK | EACH | 1 | \$ | \$ |
| 2.2.32 | REINFORCED CONCRETE CANTILEVER RETAINING WALL | SF | 3,214 | \$ | \$ |
| 2.2.33 | MASONRY PROPERTY WALL | SF | 700 | \$ | \$ |
| 2.2.34 | SHORT CONCRETE GRAVITY WALL | SF | 51 | \$ | \$ |
| 2.2.35 | REINFORCED CONCRETE SLAB OVERHANG | SF | 572 | \$ | \$ |
| 2.2.36 | NEW MODIFIED MAG 206 CONCRETE SCUPPER | EACH | 1 | \$ | \$ |
| 2.2.37 | NEW DRAIN INLET | EACH | 4 | \$ | \$ |
| 2.2.38 | PRESSURE INJECTED GROUT | LSUM | 1 | \$ | \$ |
| 2.2.39 | PLACE SALVAGED DUMPED RIVER ROCK | CY | 340 | \$ | \$ |
| 2.2.40 | GABION MATTRESS AND BASKETS | CY | 31 | \$ | \$ |
| 2.2.41 | LANDSCAPING | LSUM | 1 | \$ | \$ |

| | | | | | |
|--------|---|------|-------|----|----|
| 2.2.42 | IRRIGATION | LSUM | 1 | \$ | \$ |
| 2.2.44 | TLAQUEPAQUE PROPERTY SYCAMORE TREE PROTECTION | LSUM | 1 | \$ | \$ |
| 2.2.45 | CONCRETE BARRIER | LF | 208 | \$ | \$ |
| 2.2.46 | CONCRETE BARRER WITH HANDRAIL | LF | 52 | \$ | \$ |
| 2.2.47 | DECORATIVE RAILING | LF | 663 | \$ | \$ |
| 2.2.48 | DECORATIVE RAILING WITH HANDRAIL | LF | 216 | \$ | \$ |
| 2.2.49 | HANDRAIL (WALL ATTACHMENT) | LF | 243 | \$ | \$ |
| 2.2.50 | TRASH RECEPTACLE | EACH | 3 | \$ | \$ |
| 2.2.51 | SIGN POST (PERFORATED) (2 S) | LF. | 32 | \$ | \$ |
| 2.2.52 | SIGN POST (PERFORATED) (2 1/2 S) | LF. | 32 | \$ | \$ |
| 2.2.53 | FOUNDATION FOR SIGN POST (CONCRETE) | EACH | 5 | \$ | \$ |
| 2.2.54 | WARNING, MARKER, OR REGULATORY SIGN PANEL | SF | 14 | \$ | \$ |
| 2.2.55 | FLAT SHEET ALUMINUM SIGN PANEL | SF | 32 | \$ | \$ |
| 2.2.56 | WATERBORNE-TYPE I PAVEMENT MARKING(PAINTED)(YELLOW) | LF | 126 | \$ | \$ |
| 2.2.57 | ELECTRICAL CONDUIT (1") (PVC) | LF | 80 | \$ | \$ |
| 2.2.58 | ELECTRICAL CONDUIT (1 1/2") (PVC) | LF | 760 | \$ | \$ |
| 2.2.59 | PULL BOX (NO. 5) | EACH | 4 | \$ | \$ |
| 2.2.60 | PULL BOX (6" x 6" In Wall) | EACH | 3 | \$ | \$ |
| 2.2.61 | PULL BOX (8" x 6" In Wall) | EACH | 9 | \$ | \$ |
| 2.2.62 | CONDUCTOR (NO. 12) | LF | 1,920 | \$ | \$ |
| 2.2.63 | CONDUCTOR (NO. 10) | LF | 540 | \$ | \$ |
| 2.2.64 | CONDUCTOR (NO. 8) | LF | 1,520 | \$ | \$ |
| 2.2.65 | CONDUCTOR (INSULATED BOND) | LF | 840 | \$ | \$ |
| 2.2.66 | METER PEDESTAL CABINET (LIGHTING) | EACH | 1 | \$ | \$ |

| | | | | | |
|--------|---|------|----|----|----|
| 2.2.68 | MISCELLANEOUS WORK (LED Rope) | LF | 40 | \$ | \$ |
| 2.2.69 | MISCELLANEOUS WORK (POLE (14') (Decorative)) | EACH | 5 | \$ | \$ |
| 2.2.70 | MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE)) | EACH | 5 | \$ | \$ |
| 2.2.71 | MISCELLANEOUS WORK (MAST ARM (Decorative)) | EACH | 5 | \$ | \$ |
| 2.2.72 | MISCELLANEOUS WORK (LUMINAIRE (LED) (GBLF3 Decorative)) | EACH | 5 | \$ | \$ |
| 2.2.73 | MISCELLANEOUS WORK (Step Light Wall Fixture) | EACH | 20 | \$ | \$ |
| 2.2.74 | PAINT EXST ADOT FACILITIES | LSUM | 1 | \$ | \$ |
| 2.2.75 | CONCRETE STAIN COLOR TREATMENT | EACH | 1 | \$ | \$ |
| 2.2.76 | WINDOW AND FRAME ART PANEL | LSUM | 2 | \$ | \$ |
| 2.2.77 | BARREL SIGN BASE | EACH | 3 | \$ | \$ |

Total Direct Base Bid Costs: \$ _____

Alternative Bid Item 1

| | | | | | |
|-------|---|------|-------|----|----|
| 1.8 | MATERIALS TESTING | JOB | 1 | \$ | \$ |
| 1.9 | CONSTRUCTION SURVEY AND LAYOUT | JOB | 1 | \$ | \$ |
| 1.10 | AS-BUILT PREPARATION | JOB | 1 | \$ | \$ |
| 2.2.1 | MOBILIZATION/DEMobilIZATION | JOB | 1 | \$ | \$ |
| 2.2.2 | MAINTENANCE AND PROTECTION OF TRAFFIC | JOB | 1 | \$ | \$ |
| 2.2.3 | STORM WATER POLLUTION PREVENTION PLAN | JOB | 1 | \$ | \$ |
| 4.1.1 | REMOVE AND SALVAGE EXST DECORATIVE BOULDER | EACH | 1 | \$ | \$ |
| 4.1.2 | ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270 | EACH | 1 | \$ | \$ |
| 4.1.3 | REMOVE CURB AND GUTTER | LF | 11 | \$ | \$ |
| 4.1.4 | REMOVE SINGLE CURB | LF | 35 | \$ | \$ |
| 4.1.5 | REMOVE CONCRETE SIDEWALK | SF | 1,579 | \$ | \$ |

| | | | | | |
|--------|--|------|-------|----|----|
| 4.1.6 | REMOVE LIGHT POLES AND BASES | EACH | 2 | \$ | \$ |
| 4.1.7 | REMOVE AND REINSTALL SIGN | EACH | 1 | \$ | \$ |
| 4.1.8 | OBLITERATE PAVEMENT MARKING (STRIPE) | LF | 2,619 | \$ | \$ |
| 4.1.9 | JACKING, BORING OR TUNNELING PIPE | LF | 150 | \$ | \$ |
| 4.1.10 | ADJUST STORM DRAIN MANHOLE TO GRADE, MAG DTL 422 | EACH | 1 | \$ | \$ |
| 4.1.11 | AGGREGATE BASE COURSE | TON | 47 | \$ | \$ |
| 4.1.12 | CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH | SF | 2,157 | \$ | \$ |
| 4.1.13 | CURB & GUTTER MAG STD DTL 220, TYPE A | LF | 15 | \$ | \$ |
| 4.1.14 | SINGLE CURB, MAG DTL 222 TYPE A | LF | 132 | \$ | \$ |
| 4.1.15 | DETECTABLE WARNING | EACH | 3 | \$ | \$ |
| 4.1.16 | PERPENDICULAR CURB RAMP, MODIFIED MAG DTL 238-1 | EACH | 1 | \$ | \$ |
| 4.1.17 | LANDSCAPING | LSUM | 1 | \$ | \$ |
| 4.1.18 | IRRIGATION | LSUM | 1 | \$ | \$ |
| 4.1.19 | DECORATIVE RAILING | LF | 111 | \$ | \$ |
| 4.1.20 | PREFORMED PAVEMENT MARKING TYPE 1 (PERMANENT) | LF | 1,944 | \$ | \$ |
| 4.1.21 | SIGN POST (PERFORATED) (2 1/2 S) | LF | 36 | \$ | \$ |
| 4.1.22 | SIGN POST (PERFORATED) (2 1/2 T) | LF | 20 | \$ | \$ |
| 4.1.23 | FOUNDATION FOR SIGN POST (CONCRETE) | EACH | 5 | \$ | \$ |
| 4.1.24 | WARNING, MARKER, OR REGULATORY SIGN PANEL | SF | 68 | \$ | \$ |
| 4.1.25 | SLIP BASE (FOR PERFORATED POST) | EACH | 2 | \$ | \$ |
| 4.1.26 | METER PEDESTAL CABINET (LIGHTING) | EACH | 1 | \$ | \$ |
| 4.1.27 | METER PEDESTAL CABINET (BATTERY BACKUP, SIGNAL) | EACH | 1 | \$ | \$ |
| 4.1.28 | CONTROL CABINET (TYPE IV) | EACH | 1 | \$ | \$ |
| 4.1.29 | POLE (TYPE A) | EACH | 4 | \$ | \$ |

| | | | | | |
|--------|--|-------|-----|------------|-------------|
| 4.1.30 | POLE FOUNDATION (TYPE A) | EACH | 4 | \$ | \$ |
| 4.1.31 | TRAFFIC SIGNAL FACE (TYPE F) (MOD H) | EACH | 4 | \$ | \$ |
| 4.1.32 | TRAFFIC SIGNAL FACE (PEDESTRIAN)(MAN/HAND) | EACH | 4 | \$ | \$ |
| 4.1.33 | PEDESTRIAN PUSH BUTTON (AUDIBLE) | EACH | 4 | \$ | \$ |
| 4.1.34 | TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE IV) | EACH | 4 | \$ | \$ |
| 4.1.35 | TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE XI) | EACH | 4 | \$ | \$ |
| 4.1.36 | ELECTRICAL CONDUIT (2") (PVC) | LF | 210 | \$ | \$ |
| 4.1.37 | ELECTRICAL CONDUIT (3") (PVC) | LF | 690 | \$ | \$ |
| 4.1.38 | PULL BOX (NO. 5) | EACH | 2 | \$ | \$ |
| 4.1.39 | PULL BOX (NO. 7) | EACH | 6 | \$ | \$ |
| 4.1.40 | PULL BOX (NO. 7) (WITH EXTENSION) | EACH | 1 | \$ | \$ |
| 4.1.41 | CONDUCTORS (TRAFFIC SIGNALS) | L.SUM | 1 | \$ | \$ |
| 4.1.42 | MISCELLANEOUS (ELECTRICAL) | L.SUM | 1 | \$ | \$ |
| 4.1.43 | MISCELLANEOUS WORK (SIGN MOUNT BRACKET) | EACH | 4 | \$ | \$ |
| 4.1.44 | MISCELLANEOUS WORK (POLE (30') (Decorative)) | EACH | 2 | \$ | \$ |
| 4.1.45 | MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE)) | EACH | 2 | \$ | \$ |
| 4.1.46 | FORCE ACCOUNT WORK (ELECTRICAL SERVICE) | L.SUM | 1 | \$3,400.00 | \$ 3,400.00 |
| 4.1.47 | MISCELLANEOUS WORK (MAST ARM (Decorative)) | EACH | 2 | \$ | \$ |
| 4.1.48 | MISCELLANEOUS WORK (LUMINAIRE (LED) (Glassworks Decorative)) | EACH | 2 | \$ | \$ |

Total Alternative Bid Item 1 Costs: \$ _____

Alternative Bid Item 2

| | | | | | |
|-----|--------------------------------|-----|---|----|----|
| 1.8 | MATERIALS TESTING | JOB | 1 | \$ | \$ |
| 1.9 | CONSTRUCTION SURVEY AND LAYOUT | JOB | 1 | \$ | \$ |

| | | | | | |
|--------|--|------|-----|----|----|
| 1.10 | AS-BUILT PREPARATION | JOB | 1 | \$ | \$ |
| 2.2.1 | MOBILIZATION/DEMOBILIZATION | JOB | 1 | \$ | \$ |
| 4.2.1 | 9-FOOT WATERWHEEL | EACH | 1 | \$ | \$ |
| 4.2.2 | WHEEL SUPPORT COLUMN | EACH | 1 | \$ | \$ |
| 4.2.3 | WHEEL SCUPPER AND SUPPORT SYSTEM | EACH | 1 | \$ | \$ |
| 4.2.4 | WATER BASIN AND CONTAINMENT TROUGH | EACH | 1 | \$ | \$ |
| 4.2.5 | IRONWORKS WATER GRADE (8-INCH RIVER ROCK FINISH) | LF | 20 | \$ | \$ |
| 4.2.6 | POND PUMP | EACH | 1 | \$ | \$ |
| 4.2.7 | WATER METER AND BACKFLOW PREVENTER | EACH | 1 | \$ | \$ |
| 4.2.8 | AGT GLOW STONE | SF | 32 | \$ | \$ |
| 4.2.9 | CIP SEAT WALL | LF | 10 | \$ | \$ |
| 4.2.10 | HAND WATER PUMP AND ACTIVATOR | EACH | 1 | \$ | \$ |
| 4.2.11 | 1-INCH SCH 40 PVC | LF | 135 | \$ | \$ |
| 4.2.12 | 2-INCH SCH 40 PVC SLEEVE | EACH | 22 | \$ | \$ |
| 4.2.13 | FLAT SHEET ALUMINUM SIGN PANEL | SF | 5 | \$ | \$ |
| 4.2.14 | CONDUCTOR (NO.8) | LF | 50 | \$ | \$ |

Total Alternative Bid Item 2 Costs: \$

CIP: COMPLETE IN PLACE

The lowest bidder, Owner reserves the right to vary the quantities shown at their discretion. The contractor will accept the quantities if no corrections are made at the conclusion of the pre-bid meeting. All facilities incidental to the item are included in the unit price estimate. Bid Prices submitted include all local, state, and federal taxes.

The lowest bidder will be defined based upon a combination of the base bid amount plus one alternative bid item, or a combination of alternative bid items as determined by the City of Sedona to be in its best interest.

UNIT PRICES SHALL BE USED WHEN EXTENSION OF UNIT PRICES AND TOTAL AMOUNT CONFLICT. WRITTEN UNIT PRICES SHALL BE USED WHEN WRITTEN AND NUMERICAL UNIT PRICES CONFLICT. BID PRICES SUBMITTED INCLUDE ALL LOCAL, STATE AND FEDERAL TAXES.

The City of Sedona reserves the right to reject all bids, or to award only the base bid, or to award a bid based upon the total of the Base Bid plus additive alternate(s) as selected for award from the additive alternate bid schedule, if additive alternate bid schedule is applicable.

The Additive or Alternative Bid Schedule Items are for improvement work that the City of Sedona, at its sole discretion, may authorize for inclusion in the contract as additive or alternate work following closure of bidding. Additive or Alternative Bid items are not guaranteed to be part of the awarded contract work and the City of Sedona may select any one or combination of Additive or Alternative Bid items from the Additive or Alternative Bid Schedule(s) for inclusion in the contract work.

BIDDERS MUST COMPLETE AND PROVIDE PRICING FOR BOTH THE BASE BID SCHEDULE AND ALL ADDITIVE/ALTERNATIVE BID SCHEDULES. FAILURE TO COMPLETE AND SUBMIT PRICING FOR THE BASE BID SCHEDULE AND ALL ADDITIVE/ALTERNATIVE BID SCHEDULES MAY RENDER A BID NON-RESPONSIVE AND MAY BE GROUNDS FOR REJECTION OF THE BID.

| ITEM DESCRIPTION | UNIT | QUANTITY TOTAL |
|---|---------|----------------|
| MATERIALS TESTING | JOB | 1 |
| CONSTRUCTION SURVEY AND LAYOUT | JOB | 1 |
| AS-BUILT PREPARATION | JOB | 1 |
| MOBILIZATION/DEMOLITION | JOB | 1 |
| MAINTENANCE AND PROTECTION OF TRAFFIC | JOB | 1 |
| STORM WATER POLLUTION PREVENTION PLAN | JOB | 1 |
| REMOVE AND SALVAGE EXISTING PROPERTY WALL | LF | 78 |
| REMOVE EXST SITE WALL | LF | 22 |
| REMOVE AND SALVAGE EXST POLE WITH WIND ART | EACH | 3 |
| REMOVE AND SALVAGE EXST TLAQUEPAQUE ARCH SIGN | EACH | 1 |
| REMOVE EXST ASPHALTIC CONCRETE PAVEMENT | SY | 15 |
| REMOVE EXST CONCRETE SIDEWALK | SF | 381 |
| REMOVE AND STOCKPILE EXISTING EROSION PROTECTION | LSUM | 1 |
| REMOVE EXST GABIONS | SF | 120 |
| REMOVE AND RELOCATE EXST WATER QUALITY BOX | EACH | 1 |
| RELOCATE FIRE HYDRANT | EACH | 1 |
| RELOCATE EXSTING PROPERTY WALL LIGHTS | EACH | 2 |
| RELOCATE AND ROTATE EXST WATER METER | EACH | 1 |
| RELOCATE EXST LIGHT POLE | EACH | 2 |
| RELOCATE EXST CATV BOX | EACH | 1 |
| ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270 | EACH | 1 |
| REMOVE EXST DUMPED RIPRAP | CU. YD. | 735 |
| RELOCATE EXST TELCO PEDESTAL | EACH | 1 |
| TREE PROTECTION SHORING | LSUM | 1 |
| TEMPORARY FILL STABILIZATION | LSUM | 1 |
| SUBGRADE PREP | SY | 764 |
| CHANNEL EXCAVATION (INCL. HAUL OFFSITE) | CY | 1,765 |
| AGGREGATE BASE COURSE | TON | 151 |
| SIDEWALK TOEDOWN | SF | 611 |
| CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH | SF | 5,589 |
| CONCRETE PAVERS | SF | 104 |
| CURB MOUNTED DECORATIVE RAILING | LF | 129 |
| MEDIAN BOLLARDS AND CHAIN (SPECIAL DETAIL) | EACH | 4 |
| 3-FT MAN GATE WITH LOCK | EACH | 1 |
| REINFORCED CONCRETE CANTILEVER RETAINING WALL | SF | 3,214 |
| MASONRY PROPERTY WALL | SF | 700 |
| SHORT CONCRETE GRAVITY WALL | SF | 51 |
| REINFORCED CONCRETE SLAB OVERHANG | SF | 572 |
| NEW MODIFIED MAG 206 CONCRETE SCUPPER | EACH | 1 |
| NEW DRAIN INLET | EACH | 4 |
| PRESSURE INJECTED GROUT | LSUM | 1 |
| PLACE SALVAGED DUMPED RIVER ROCK | CY | 340 |
| GABION MATTRESS AND BASKETS | CY | 31 |
| LANDSCAPING | LSUM | 1 |

| ITEM DESCRIPTION | UNIT | QUANTITY TOTAL |
|---|-------|----------------|
| IRRIGATION | LSUM | 1 |
| TLAQUEPAQUE PROPERTY SYCAMORE TREE PROTECTION | LSUM | 1 |
| CONCRETE BARRIER | LF | 208 |
| CONCRETE BARRER WITH HANDRAIL | LF | 52 |
| DECORATIVE RAILING | LF | 663 |
| DECORATIVE RAILING WITH HANDRAIL | LF | 216 |
| HANDRAIL (WALL ATTACHMENT) | LF | 243 |
| TRASH RECEPTACLE | EACH | 3 |
| SIGN POST (PERFORATED) (2 S) | L.FT. | 32 |
| SIGN POST (PERFORATED) (2 1/2 S) | L.FT. | 32 |
| FOUNDATION FOR SIGN POST (CONCRETE) | EACH | 5 |
| WARNING, MARKER, OR REGULATORY SIGN PANEL | SF | 14 |
| FLAT SHEET ALUMINUM SIGN PANEL | SF | 32 |
| WATERBORNE-TYPE I PAVEMENT MARKING(PAINTED)(YELLOW) | LF | 126 |
| ELECTRICAL CONDUIT (1") (PVC) | LF | 80 |
| ELECTRICAL CONDUIT (1 1/2") (PVC) | LF | 760 |
| PULL BOX (NO. 5) | EACH | 4 |
| PULL BOX (6" x 6" In Wall) | EACH | 3 |
| PULL BOX (8" x 6" In Wall) | EACH | 9 |
| CONDUCTOR (NO. 12) | LF | 1,920 |
| CONDUCTOR (NO. 10) | LF | 540 |
| CONDUCTOR (NO. 8) | LF | 1,520 |
| CONDUCTOR (INSULATED BOND) | LF | 840 |
| METER PEDESTAL CABINET (LIGHTING) | EACH | 1 |
| MISCELLANEOUS WORK (LED Rope) | LF | 40 |
| MISCELLANEOUS WORK (POLE (14') (Decorative)) | EACH | 5 |
| MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE)) | EACH | 5 |
| MISCELLANEOUS WORK (MAST ARM (Decorative)) | EACH | 5 |
| MISCELLANEOUS WORK (LUMINAIRE (LED) (GBLF3 Decorative)) | EACH | 5 |
| MISCELLANEOUS WORK (Step Light Wall Fixture) | EACH | 20 |
| PAINT EXST ADOT FACILITIES | LSUM | 1 |
| CONCRETE STAIN COLOR TREATMENT | EACH | 1 |
| WINDOW AND FRAME ART PANEL | LSUM | 2 |
| BARREL SIGN BASE | EACH | 3 |

| ITEM DESCRIPTION | UNIT | QUANTITY TOTAL |
|---|-------|----------------|
| MATERIALS TESTING | JOB | 1 |
| CONSTRUCTION SURVEY AND LAYOUT | JOB | 1 |
| AS-BUILT PREPARATION | JOB | 1 |
| MOBILIZATION/DEMOLITION | JOB | 1 |
| MAINTENANCE AND PROTECTION OF TRAFFIC | JOB | 1 |
| STORM WATER POLLUTION PREVENTION PLAN | JOB | 1 |
| REMOVE AND SALVAGE EXST DECORATIVE BOULDER | EACH | 1 |
| ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270 | EACH | 1 |
| REMOVE CURB AND GUTTER | LF | 11 |
| REMOVE SINGLE CURB | LF | 35 |
| REMOVE CONCRETE SIDEWALK | SF | 1,579 |
| REMOVE AND REINSTALL SIGN | EACH | 1 |
| OBLITERATE PAVEMENT MARKING (STRIPE) | LF | 2,619 |
| JACKING, BORING OR TUNNELING PIPE | LF | 150 |
| ADJUST STORM DRAIN MANHOLE TO GRADE, MAG DTL 422 | EACH | 1 |
| AGGREGATE BASE COURSE | TON | 47 |
| CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH | SF | 2,157 |
| CURB & GUTTER MAG STD DTL 220, TYPE A | LF | 15 |
| SINGLE CURB, MAG DTL 222 TYPE A | LF | 132 |
| DETECTABLE WARNING | EACH | 3 |
| PERPENDICULAR CURB RAMP, MODIFIED MAG DTL 238-1 | EACH | 1 |
| LANDSCAPING | LSUM | 1 |
| IRRIGATION | LSUM | 1 |
| DECORATIVE RAILING | LF | 111 |
| PREFORMED PAVEMENT MARKING TYPE 1 (PERMANENT) | L.FT. | 1,944 |
| SIGN POST (PERFORATED) (2 1/2 S) | L.FT. | 36 |
| SIGN POST (PERFORATED) (2 1/2 T) | L.FT. | 20 |
| FOUNDATION FOR SIGN POST (CONCRETE) | EACH | 5 |
| WARNING, MARKER, OR REGULATORY SIGN PANEL | SF | 68 |
| SLIP BASE (FOR PERFORATED POST) | EACH | 2 |
| METER PEDESTAL CABINET (LIGHTING) | EACH | 1 |
| METER PEDESTAL CABINET (BATTERY BACKUP, SIGNAL) | EACH | 1 |
| CONTROL CABINET (TYPE IV) | EACH | 1 |
| POLE (TYPE A) | EACH | 4 |
| POLE FOUNDATION (TYPE A) | EACH | 4 |
| TRAFFIC SIGNAL FACE (TYPE F) (MOD H) | EACH | 4 |
| TRAFFIC SIGNAL FACE (PEDESTRIAN)(MAN/HAND) | EACH | 4 |
| PEDESTRIAN PUSH BUTTON (AUDIBLE) | EACH | 4 |
| TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE IV) | EACH | 4 |
| TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE XI) | EACH | 4 |
| ELECTRICAL CONDUIT (2") (PVC) | LF | 210 |
| ELECTRICAL CONDUIT (3") (PVC) | LF | 690 |
| PULL BOX (NO. 5) | EACH | 2 |
| PULL BOX (NO. 7) | EACH | 6 |
| PULL BOX (NO. 7) (WITH EXTENSION) | EACH | 1 |
| CONDUCTORS (TRAFFIC SIGNALS) | L.SUM | 1 |
| MISCELLANEOUS (ELECTRICAL) | L.SUM | 1 |
| MISCELLANEOUS WORK (SIGN MOUNT BRACKET) | EACH | 4 |
| MISCELLANEOUS WORK (POLE (30') (Decorative)) | EACH | 2 |
| MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE)) | EACH | 2 |
| FORCE ACCOUNT WORK (ELECTRICAL SERVICE) | L.SUM | 1 |
| MISCELLANEOUS WORK (MAST ARM (Decorative)) | EACH | 2 |
| MISCELLANEOUS WORK (LUMINAIRE (LED) (Glaswerks Decorative)) | EACH | 2 |

1 BID ALTERNATIVE #1. SEE SPECIAL PROVISIONS.

| | | | | | | | | | | | | | |
|--------|-----------|------|-------|--------------------|------------------------|--|--|--|--|---|---|-----------------------------|--|
| Symbol | Revisions | Date | Appr. | Designed by: JI | Date: 09/06/2022 | | | WSP USA Inc. 1230 W. Washington St. Suite 405 Tempe, AZ 85281 | | CITY OF SEDONA PUBLIC WORKS DEPARTMENT 102 ROADRUNNER DRIVE SEDONA, ARIZONA 86336 928-204-7111 | SR 179 PEDESTRIAN CROSSING AT OAK CREEK SEDONA, ARIZONA | SHEET ID C5 | |
| | | | | Drawn by: CPG | Scale: NOT TO SCALE | | | | | | | SHEET NO. OF 5 44 | |
| | | | | Checked by: JKF | Project Code: CIVIL | | | | | | | QUANTITY SUMMARY SHEET | |