



City of Sedona Public Works Department

102 Roadrunner Drive Sedona, AZ 86336
(928) 204-7111 • Fax: (928) 282-5348

To Whom It May Concern:

The City of Sedona, Arizona is issuing **Addendum #3** to the plans and specifications as originally issued at the time of solicitation for bids for the re-bid of **SR 179 Pedestrian Crossing at Oak Creek**. For any bid to be considered responsible and responsive, receipt of this addendum must be acknowledged.

This Addendum responds to questions related to the project plans and specifications.

As specified in the Instructions to Bidders this Addendum upon issuance becomes a part of the Contract Documents. This Addendum consists of 2 page(s) including this page (excluding attachments).

This Addendum changes, adds, or clarifies the following:

1. REQUEST FOR INFORMATION:

1.1. **Question** – The specs are written for compaction grouting. NOT FOR permeation.

Response – *The specified method of grouting is intended as a permeation grout procedure and utilizes modified standards of compaction grouting adopted from ADOT. As there is limited geotechnical data regarding the subsoils, the Contractor (or subcontracted grouting specialist) may propose and submit alternative mix designs for permeation grouting based on subsoil conditions encountered in the work.*

1.2. **Question** – Bid Item 2.2.38.1, 440 CY is much too large a magnitude for permeation grouting. A more realistic quantity is 8-10 CY

Response – *The volume of subsoil for stabilization is approximately 11,625 cubic feet, (155 lf x 5' width x 15' depth +/-). An assumed volume of grout to stabilize the soil mass was approximated at 5% of the soil volume or 581 cubic feet.*

Note: The volume for grout and Unit of measure in the Bid Schedule for "Item 2.2.38.1, Permeation Grouting Placement", is incorrect and will be revised per section 2.1 below.

2. BID PROPOSAL:

2.1. **Replace** the "Bid Schedule" beginning on page 26 and ending on page 30 of the Contract Documents." **with the following:**

"Bid Schedule (Rev. 3/14/23)" beginning on page 26 and ending on page 30 as provided in listed attachment 1 of this Addendum 3.

Noted changes to the Bid Schedule are as follows:

- Bid Schedule Item 2.2.38.1, Permeation Grouting Placement, was **revised** to read a UNIT measure of "CF" consistent with Specification "2.2.38 PERMEATION GROUT." The quantity was additionally revised to read "581" in lieu of "440".

3. DRAWINGS:

3.1. Plan sheet number 5 of 45 (C5), the ITEM DESCRIPTION in the right summary table listed as, "PERMEATION GROUT PLACEMENT" having the corresponding UNIT and QUANTITY TOTAL of "CYD" and "440", respectively, shall be noted to be **replaced with the following:**

"PERMEATION GROUT PLACEMENT" having the corresponding UNIT and QUANTITY TOTAL of "CF" and "581", respectively. **NOTE:** No plan revision will be issued for this minor correction.

This Addendum includes the following attachments:

1. Bid Schedule (Rev. 3/14/23), pages 26 through 30.

END OF ADDENDUM #3

ACKNOWLEDGEMENT


I have received addendum #3 for the re-bid of SR 179 Pedestrian Crossing at Oak Creek as described above and acknowledge it as part of the Contract Documents for the project.

Signature

Date

Print Business Name

Addendum #3 issued by J. Andy Dickey, PE, Assistant City Manager and Director of Public Works/City Engineer



J. Andy Dickey, PE Assistant City Manager and Director of Public Works/City Engineer

3/14/23
Date

Bid Schedule (Rev. 3/14/23)

**City of Sedona – SR 179 Pedestrian Crossing at Oak Creek
Project # 2022 SIM-4C**

ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
1.8	MATERIALS TESTING	JOB	1	\$	\$
1.9	CONSTRUCTION SURVEY AND LAYOUT	JOB	1	\$	\$
1.10	AS-BUILT PREPARATION	JOB	1	\$	\$
2.2.1	MOBILIZATION/DEMOBILIZATION	JOB	1	\$	\$
2.2.2	MAINTENANCE AND PROTECTION OF TRAFFIC	JOB	1	\$	\$
2.2.3	STORM WATER POLLUTION PREVENTION PLAN	JOB	1	\$	\$
2.2.4	REMOVE EXISTING PROPERTY WALL AND SALVAGE ARCH FEATURES	LF	78	\$	\$
2.2.5	REMOVE EXST SITE WALL	LF	22	\$	\$
2.2.6	REMOVE AND SALVAGE EXST POLE WITH WIND ART	EACH	3	\$	\$
2.2.7	REMOVE AND SALVAGE EXST TLAQUEPAQUE ARCH SIGN	EACH	1	\$	\$
2.2.8	REMOVE EXST ASPHALTIC CONCRETE PAVEMENT	SY	15	\$	\$
2.2.9	REMOVE EXST CONCRETE SIDEWALK	SF	381	\$	\$
2.2.10	REMOVE AND STOCKPILE EXISTING EROSION PROTECTION	LSUM	1	\$	\$
2.2.11	REMOVE EXST GABIONS	CY	120	\$	\$
2.2.12	REMOVE AND RELOCATE EXST WATER QUALITY BOX	EACH	1	\$	\$
2.2.13	REMOVE EXST BLOW-OFF ASSEMBLY AND REPLACE WITH ELBOW	EACH	1	\$	\$
2.2.14	RELOCATE FIRE HYDRANT AND WATER VALVE	EACH	1	\$	\$
2.2.15	RELOCATE EXSTING PROPERTY WALL LIGHTS	EACH	2	\$	\$
2.2.16	RELOCATE WATER METER	EACH	1	\$	\$
2.2.17	RELOCATE EXST LIGHT POLE	EACH	2	\$	\$

2.2.18	RELOCATE EXST CATV BOX	EACH	1	\$	\$
2.2.19	ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270	EACH	1	\$	\$
2.2.20	REMOVE EXST DUMPED RIPRAP	CY.	735	\$	\$
2.2.21	RELOCATE EXST TELCO PEDESTAL	EACH	2	\$	\$
2.2.22	TREE PROTECTION SHORING	LSUM	1	\$	\$
2.2.23	TEMPORARY FILL STABILIZATION	LSUM	1	\$	\$
2.2.24	SUBGRADE PREP	SY	724	\$	\$
2.2.25	CHANNEL EXCAVATION (INCL. HAUL OFFSITE)	CY	1,765	\$	\$
2.2.26	AGGREGATE BASE COURSE	TON	151	\$	\$
2.2.27	CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH	SF	6,200	\$	\$
2.2.28	CONCRETE PAVERS	SF	104	\$	\$
2.2.29	RETAINED CURB	LF	218	\$	\$
2.2.30	MEDIAN BOLLARDS AND CHAIN (SPECIAL DETAIL)	EACH	2	\$	\$
2.2.31	3-FT MAN GATE WITH LOCK	EACH	1	\$	\$
2.2.32	REINFORCED CONCRETE CANTILEVER RETAINING WALL	SF	2,689	\$	\$
2.2.33	MASONRY PROPERTY WALL	SF	700	\$	\$
2.2.34	SHORT CONCRETE GRAVITY WALL	SF	51	\$	\$
2.2.35	REINFORCED CONCRETE SLAB OVERHANG	SF	566	\$	\$
2.2.36	NEW MODIFIED MAG 206 CONCRETE SCUPPER	EACH	1	\$	\$
2.2.37	NEW DRAIN INLET	EACH	4	\$	\$
2.2.38	PERMEATION GROUT				
2.2.38.1	PERMEATION GROUTING PLACEMENT	CF	581	\$	\$
2.2.38.2	PERMEATION GROUTING (DRILL GROUT HOLES)	LF	930	\$	\$
2.2.39	PLACE SALVAGED DUMPED RIVER ROCK	CY	340	\$	\$
2.2.40	GABION MATTRESS AND BASKETS	CY	31	\$	\$

2.2.41	LANDSCAPING	LSUM	1	\$	\$
2.2.42	IRRIGATION	LSUM	1	\$	\$
2.2.43	TLAQUEPAQUE PROPERTY SYCAMORE TREE PROTECTION	LSUM	1	\$	\$
2.2.44	CONCRETE BARRIER	LF	208	\$	\$
2.2.45	CONCRETE BARRER WITH HANDRAIL	LF	52	\$	\$
2.2.46	DECORATIVE RAILING	LF	663	\$	\$
2.2.47	DECORATIVE RAILING WITH HANDRAIL	LF	216	\$	\$
2.2.48	HANDRAIL (WALL ATTACHMENT)	LF	243	\$	\$
2.2.49	TRASH RECEPTACLE	EACH	3	\$	\$
2.2.50	SIGN POST (PERFORATED) (2 S)	LF	32	\$	\$
2.2.51	SIGN POST (PERFORATED) (2 1/2 S)	LF	32	\$	\$
2.2.52	FOUNDATION FOR SIGN POST (CONCRETE)	EACH	5	\$	\$
2.2.53	WARNING, MARKER, OR REGULATORY SIGN PANEL	SF	14	\$	\$
2.2.54	FLAT SHEET ALUMINUM SIGN PANEL	SF	32	\$	\$
2.2.55	WATERBORNE-TYPE I PAVEMENT MARKING (PAINTED)(YELLOW)	LF	126	\$	\$
2.2.56	ELECTRICAL CONDUIT (1") (PVC)	LF	80	\$	\$
2.2.57	ELECTRICAL CONDUIT (1 1/2") (PVC)	LF	760	\$	\$
2.2.58	PULL BOX (NO. 5)	EACH	4	\$	\$
2.2.59	PULL BOX (6" x 6" In Wall)	EACH	3	\$	\$
2.2.60	PULL BOX (8" x 6" In Wall)	EACH	9	\$	\$
2.2.61	CONDUCTOR (NO. 12)	LF	1,920	\$	\$
2.2.62	CONDUCTOR (NO. 10)	LF	540	\$	\$
2.2.63	CONDUCTOR (NO. 8)	LF	1,520	\$	\$
2.2.64	CONDUCTOR (INSULATED BOND)	LF	840	\$	\$
2.2.65	METER PEDESTAL CABINET (LIGHTING)	EACH	1	\$	\$

2.2.66	MISCELLANEOUS WORK (LED Rope)	LF	40	\$	\$
2.2.67	MISCELLANEOUS WORK (POLE (14') (Decorative))	EACH	5	\$	\$
2.2.68	MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE))	EACH	5	\$	\$
2.2.69	MISCELLANEOUS WORK (MAST ARM (Decorative))	EACH	5	\$	\$
2.2.70	MISCELLANEOUS WORK (LUMINAIRE (LED) (GBLF3 Decorative))	EACH	5	\$	\$
2.2.71	MISCELLANEOUS WORK (Step Light Wall Fixture)	EACH	20	\$	\$
2.2.72	PAINT EXST ADOT FACILITIES	LSUM	1	\$	\$
2.2.73	CONCRETE STAIN COLOR TREATMENT	EACH	1	\$	\$
2.2.74	WINDOW AND FRAME ART PANEL	LSUM	2	\$	\$
2.2.75	BARREL SIGN BASE	EACH	3	\$	\$

Total Direct Base Bid Costs: \$ _____

Alternative Bid Item 1

1.8	MATERIALS TESTING	JOB	1	\$	\$
1.9	CONSTRUCTION SURVEY AND LAYOUT	JOB	1	\$	\$
1.10	AS-BUILT PREPARATION	JOB	1	\$	\$
2.2.1	MOBILIZATION/DEMOBILIZATION	JOB	1	\$	\$
4.1.2	9-FOOT WATERWHEEL	EACH	1	\$	\$
4.1.2	WHEEL SUPPORT COLUMN	EACH	1	\$	\$
4.1.3	WHEEL SCUPPER AND SUPPORT SYSTEM	EACH	1	\$	\$
4.1.4	WATER BASIN AND CONTAINMENT TROUGH	EACH	1	\$	\$
4.1.5	IRONWORKS WATER GRADE (8-INCH RIVER ROCK FINISH)	LF	20	\$	\$
4.1.6	POND PUMP	EACH	1	\$	\$
4.1.7	WATER METER AND BACKFLOW PREVENTER	EACH	1	\$	\$
4.1.8	AGT GLOW STONE	SF	32	\$	\$

4.1.9	CIP SEAT WALL	LF	10	\$	\$
4.1.10	HAND WATER PUMP AND ACTIVATOR	EACH	1	\$	\$
4.1.11	1-INCH SCH 40 PVC	LF	135	\$	\$
4.1.12	2-INCH SCH 40 PVC SLEEVE	EACH	22	\$	\$
4.1.13	FLAT SHEET ALUMINUM SIGN PANEL	SF	5	\$	\$
4.1.14	CONDUCTOR (NO.8)	LF	50	\$	\$

Total Alternative Bid Item 1 Costs: \$ _____

CIP: COMPLETE IN PLACE

The lowest bidder, Owner reserves the right to vary the quantities shown at their discretion. The contractor will accept the quantities if no corrections are made at the conclusion of the pre-bid meeting. All facilities incidental to the item are included in the unit price estimate. Bid Prices submitted include all local, state, and federal taxes.

The lowest bidder will be defined based upon a combination of the base bid amount plus alternative bid item(s), or a combination of alternative bid items as determined by the City of Sedona to be in its best interest.

UNIT PRICES SHALL BE USED WHEN EXTENSION OF UNIT PRICES AND TOTAL AMOUNT CONFLICT. WRITTEN UNIT PRICES SHALL BE USED WHEN WRITTEN AND NUMERICAL UNIT PRICES CONFLICT. BID PRICES SUBMITTED INCLUDE ALL LOCAL, STATE AND FEDERAL TAXES.

The City of Sedona reserves the right to reject all bids, or to award only the base bid, or to award a bid based upon the total of the Base Bid plus additive alternate(s) as selected for award from the additive alternate bid schedule, if additive alternate bid schedule is applicable.

The Additive or Alternative Bid Schedule Items are for improvement work that the City of Sedona, at its sole discretion, may authorize for inclusion in the contract as additive or alternate work following closure of bidding. Additive or Alternative Bid items are not guaranteed to be part of the awarded contract work and the City of Sedona may select any one or combination of Additive or Alternative Bid items from the Additive or Alternative Bid Schedule(s) for inclusion in the contract work.

BIDDERS MUST COMPLETE AND PROVIDE PRICING FOR BOTH THE BASE BID SCHEDULE AND ALL ADDITIVE/ALTERNATIVE BID SCHEDULES. FAILURE TO COMPLETE AND SUBMIT PRICING FOR THE BASE BID SCHEDULE AND ALL ADDITIVE/ALTERNATIVE BID SCHEDULES MAY RENDER A BID NON-RESPONSIVE AND MAY BE GROUNDS FOR REJECTION OF THE BID.