



City of Sedona Public Works Department

102 Roadrunner Drive Sedona, AZ 86336
(928) 204-7111 • Fax: (928) 282-5348

To Whom It May Concern:

The City of Sedona, Arizona is issuing **Addendum # 1** to the plans and specifications as originally issued at the time of solicitation for bids for the **SR 179 Pedestrian Crossing at Oak Creek**. For any bid to be considered responsible and responsive, receipt of this addendum must be acknowledged.

This Addendum extends the bid period and provides a new date for which sealed bids must be submitted by, makes changes to the bid schedule and plans, and removes the requirement of a Mandatory Pre-Bid Meeting.

As specified in the Instructions to Bidders this Addendum upon issuance becomes a part of the Contract Documents. This Addendum consists of 2 pages including this page (excluding attachments).

This Addendum changes or adds the following:

1. ADVERTISEMENT FOR BIDS

Replace the first sentence of the first paragraph on Page 2 of the Contract Documents written as "Sealed bids for the construction of the SR 179 Pedestrian Crossing at Oak Creek will be received by the Public Works Department, located at 102 Roadrunner Drive, Sedona, Arizona, until 2:30 P.M. local time, November 1, 2022." **with the following:**

"Sealed bids for the construction of the SR 179 Pedestrian Crossing at Oak Creek will be received by the Public Works Department, located at 102 Roadrunner Drive, Sedona, Arizona, until 2:30 P.M. local time, December 6, 2022."

2. ADVERTISEMENT FOR BIDS

Replace the fourth listed item under the third paragraph on page 3, written as "AND RECEIVED: At the Public Works Department until 2:30 P.M. local time, November 1, 2022 (as determined by reference to www.time.gov ref Arizona area)." **with the following:**

"AND RECEIVED: At the Public Works Department until 2:00 P.M. local time, December 6, 2022 (as determined by reference to www.time.gov ref Arizona area)".

3. CONTRACT DOCUMENTS

Replace all references relative to or written as "mandatory pre-bid meeting" or "pre-bid conference (mandatory)" **with the following:**

"non-mandatory pre-bid meeting" or "pre-bid conference (non-mandatory)" as applicable.

4. BID PROPOSAL (Pages 23 to 34)

Replace the Bid Schedule (including Alternative Bid Items) beginning on page 26 and ending on page 33 of the Contract Documents **with the following:**

"Bid Schedule (Rev. 10/18/22)" pages 26 thru 33 as provided in listed attachment 1 of this Addendum 1.

Noted changes to the Bid Schedule are as follows:

- REMOVED: Bid Item 2.2.43 – FORCE ACCOUNT WORK (LS AND IR RESTORATION).
- REMOVED: Bid Item 2.2.67 – FORCE ACCOUNT WORK (ELECTRICAL SERVICE).

5. DRAWINGS:

5.1. Replace plan sheet number 5 of 44 (Sheet ID: C5), **with the following:**

Revised sheet 5 of 44 (C5) engineer seal dated 9/29/2022, as provided in listed attachment 2.1 of this Addendum 1.

5.2. Drawing Sheet No. 6 of 44 (Sheet ID: C6), Removal Notes:

Replace Removal Note number 13, written as "RELOCATE AND ROTATE EXST WATER METER VALVE, PER AWC DTL E-9-11-1" **with the following**:

"REPLACE AND RELOCATE EXISTING 2-INCH WATER SERVICE CONNECTION, PER DTL E-9-11-1"

5.3. Drawing Sheet No. 6 of 44 (Sheet ID: C6), Removal Notes:

Replace Removal Note number 14, written as "REMOVE EXST WATER VALVE, PER AWC SPECIFICATIONS" **with the following**:

"REMOVE EXST 2-INCH BLOW OFF ASSEMBLY AND REPLACE WITH 90 (DEGREE) MJ ELBOW, 6 LF OF 6-INCH DIP, AND TRANSITION COUPLINGS E-9-8-1 AND E-9-5-1"

This Addendum includes the following attachments:

1. Bid Schedule (Rev. 10/18/22), pages 26 thru 33.
2. Drawing(s):
 - 2.1. Revised sheet 5 of 44 (Engineer Seal date 9/29/22).

END OF ADDENDUM #1

ACKNOWLEDGEMENT

I have received addendum # 1 for the **SR 179 Pedestrian Crossing at Oak Creek** as described above and acknowledge it as part of the Contract Documents for the project.

Signature

Date

Print Business Name

Addendum #1 issued by J. Andy Dickey, PE, Assistant City Manager and Director of Public Works/City Engineer

J. Andy Dickey, PE Assistant City Manager and Director of Public Works/City Engineer

10/20/22
Date

Bid Schedule (Rev.10/18/22)

**City of Sedona – SR 179 Pedestrian Crossing at Oak Creek
Project # 2022 SIM-4C**

ITEM NO.	ITEM DESCRIPTION	UNIT	QUANTITY	UNIT PRICE	AMOUNT
1.8	MATERIALS TESTING	JOB	1	\$	\$
1.9	CONSTRUCTION SURVEY AND LAYOUT	JOB	1	\$	\$
1.10	AS-BUILT PREPARATION	JOB	1	\$	\$
2.2.1	MOBILIZATION/DEMOBILIZATION	JOB	1	\$	\$
2.2.2	MAINTENANCE AND PROTECTION OF TRAFFIC	JOB	1	\$	\$
2.2.3	STORM WATER POLLUTION PREVENTION PLAN	JOB	1	\$	\$
2.2.4	REMOVE AND SALVAGE EXISTING PROPERTY WALL	LF	78	\$	\$
2.2.5	REMOVE EXST SITE WALL	LF	22	\$	\$
2.2.6	REMOVE AND SALVAGE EXST POLE WITH WIND ART	EACH	3	\$	\$
2.2.7	REMOVE AND SALVAGE EXST TLAQUEPAQUE ARCH SIGN	EACH	1	\$	\$
2.2.8	REMOVE EXST ASPHALTIC CONCRETE PAVEMENT	SY	15	\$	\$
2.2.9	REMOVE EXST CONCRETE SIDEWALK	SF	381	\$	\$
2.2.10	REMOVE AND STOCKPILE EXISTING EROSION PROTECTION	LSUM	1	\$	\$
2.2.11	REMOVE EXST GABIONS	SF	120	\$	\$
2.2.12	REMOVE AND RELOCATE EXST WATER QUALITY BOX	EACH	1	\$	\$
2.2.13	RELOCATE FIRE HYDRANT	EACH	1	\$	\$
2.2.14	RELOCATE EXSTING PROPERTY WALL LIGHTS	EACH	2	\$	\$
2.2.15	RELOCATE AND ROTATE EXST WATER METER	EACH	1	\$	\$
2.2.16	RELOCATE EXST LIGHT POLE	EACH	2	\$	\$
2.2.17	RELOCATE EXST CATV BOX	EACH	1	\$	\$

2.2.18	ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270	EACH	1	\$	\$
2.2.19	REMOVE EXST DUMPED RIPRAP	CY.	735	\$	\$
2.2.20	RELOCATE EXST TELCO PEDESTAL	EACH	1	\$	\$
2.2.21	TREE PROTECTION SHORING	LSUM	1	\$	\$
2.2.22	TEMPORARY FILL STABILIZATION	LSUM	1	\$	\$
2.2.23	SUBGRADE PREP	SY	764	\$	\$
2.2.24	CHANNEL EXCAVATION (INCL. HAUL OFFSITE)	CY	1,765	\$	\$
2.2.25	AGGREGATE BASE COURSE	TON	151	\$	\$
2.2.26	SIDEWALK TOEDOWN	SF	611	\$	\$
2.2.27	CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH	SF	5,589	\$	\$
2.2.28	CONCRETE PAVERS	SF	104	\$	\$
2.2.29	CURB MOUNTED DECORATIVE RAILING	LF	129	\$	\$
2.2.30	MEDIAN BOLLARDS AND CHAIN (SPECIAL DETAIL)	EACH	4	\$	\$
2.2.31	3-FT MAN GATE WITH LOCK	EACH	1	\$	\$
2.2.32	REINFORCED CONCRETE CANTILEVER RETAINING WALL	SF	3,214	\$	\$
2.2.33	MASONRY PROPERTY WALL	SF	700	\$	\$
2.2.34	SHORT CONCRETE GRAVITY WALL	SF	51	\$	\$
2.2.35	REINFORCED CONCRETE SLAB OVERHANG	SF	572	\$	\$
2.2.36	NEW MODIFIED MAG 206 CONCRETE SCUPPER	EACH	1	\$	\$
2.2.37	NEW DRAIN INLET	EACH	4	\$	\$
2.2.38	PRESSURE INJECTED GROUT	LSUM	1	\$	\$
2.2.39	PLACE SALVAGED DUMPED RIVER ROCK	CY	340	\$	\$
2.2.40	GABION MATTRESS AND BASKETS	CY	31	\$	\$
2.2.41	LANDSCAPING	LSUM	1	\$	\$

2.2.42	IRRIGATION	LSUM	1	\$	\$
2.2.44	TLAQUEPAQUE PROPERTY SYCAMORE TREE PROTECTION	LSUM	1	\$	\$
2.2.45	CONCRETE BARRIER	LF	208	\$	\$
2.2.46	CONCRETE BARRER WITH HANDRAIL	LF	52	\$	\$
2.2.47	DECORATIVE RAILING	LF	663	\$	\$
2.2.48	DECORATIVE RAILING WITH HANDRAIL	LF	216	\$	\$
2.2.49	HANDRAIL (WALL ATTACHMENT)	LF	243	\$	\$
2.2.50	TRASH RECEPTACLE	EACH	3	\$	\$
2.2.51	SIGN POST (PERFORATED) (2 S)	LF.	32	\$	\$
2.2.52	SIGN POST (PERFORATED) (2 1/2 S)	LF.	32	\$	\$
2.2.53	FOUNDATION FOR SIGN POST (CONCRETE)	EACH	5	\$	\$
2.2.54	WARNING, MARKER, OR REGULATORY SIGN PANEL	SF	14	\$	\$
2.2.55	FLAT SHEET ALUMINUM SIGN PANEL	SF	32	\$	\$
2.2.56	WATERBORNE-TYPE I PAVEMENT MARKING(PAINTED)(YELLOW)	LF	126	\$	\$
2.2.57	ELECTRICAL CONDUIT (1") (PVC)	LF	80	\$	\$
2.2.58	ELECTRICAL CONDUIT (1 1/2") (PVC)	LF	760	\$	\$
2.2.59	PULL BOX (NO. 5)	EACH	4	\$	\$
2.2.60	PULL BOX (6" x 6" In Wall)	EACH	3	\$	\$
2.2.61	PULL BOX (8" x 6" In Wall)	EACH	9	\$	\$
2.2.62	CONDUCTOR (NO. 12)	LF	1,920	\$	\$
2.2.63	CONDUCTOR (NO. 10)	LF	540	\$	\$
2.2.64	CONDUCTOR (NO. 8)	LF	1,520	\$	\$
2.2.65	CONDUCTOR (INSULATED BOND)	LF	840	\$	\$
2.2.66	METER PEDESTAL CABINET (LIGHTING)	EACH	1	\$	\$

2.2.68	MISCELLANEOUS WORK (LED Rope)	LF	40	\$	\$
2.2.69	MISCELLANEOUS WORK (POLE (14') (Decorative))	EACH	5	\$	\$
2.2.70	MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE))	EACH	5	\$	\$
2.2.71	MISCELLANEOUS WORK (MAST ARM (Decorative))	EACH	5	\$	\$
2.2.72	MISCELLANEOUS WORK (LUMINAIRE (LED) (GBLF3 Decorative))	EACH	5	\$	\$
2.2.73	MISCELLANEOUS WORK (Step Light Wall Fixture)	EACH	20	\$	\$
2.2.74	PAINT EXST ADOT FACILITIES	LSUM	1	\$	\$
2.2.75	CONCRETE STAIN COLOR TREATMENT	EACH	1	\$	\$
2.2.76	WINDOW AND FRAME ART PANEL	LSUM	2	\$	\$
2.2.77	BARREL SIGN BASE	EACH	3	\$	\$

Total Direct Base Bid Costs: \$ _____

Alternative Bid Item 1

1.8	MATERIALS TESTING	JOB	1	\$	\$
1.9	CONSTRUCTION SURVEY AND LAYOUT	JOB	1	\$	\$
1.10	AS-BUILT PREPARATION	JOB	1	\$	\$
2.2.1	MOBILIZATION/DEMobilIZATION	JOB	1	\$	\$
2.2.2	MAINTENANCE AND PROTECTION OF TRAFFIC	JOB	1	\$	\$
2.2.3	STORM WATER POLLUTION PREVENTION PLAN	JOB	1	\$	\$
4.1.1	REMOVE AND SALVAGE EXST DECORATIVE BOULDER	EACH	1	\$	\$
4.1.2	ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270	EACH	1	\$	\$
4.1.3	REMOVE CURB AND GUTTER	LF	11	\$	\$
4.1.4	REMOVE SINGLE CURB	LF	35	\$	\$
4.1.5	REMOVE CONCRETE SIDEWALK	SF	1,579	\$	\$

4.1.6	REMOVE LIGHT POLES AND BASES	EACH	2	\$	\$
4.1.7	REMOVE AND REINSTALL SIGN	EACH	1	\$	\$
4.1.8	OBLITERATE PAVEMENT MARKING (STRIPE)	LF	2,619	\$	\$
4.1.9	JACKING, BORING OR TUNNELING PIPE	LF	150	\$	\$
4.1.10	ADJUST STORM DRAIN MANHOLE TO GRADE, MAG DTL 422	EACH	1	\$	\$
4.1.11	AGGREGATE BASE COURSE	TON	47	\$	\$
4.1.12	CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH	SF	2,157	\$	\$
4.1.13	CURB & GUTTER MAG STD DTL 220, TYPE A	LF	15	\$	\$
4.1.14	SINGLE CURB, MAG DTL 222 TYPE A	LF	132	\$	\$
4.1.15	DETECTABLE WARNING	EACH	3	\$	\$
4.1.16	PERPENDICULAR CURB RAMP, MODIFIED MAG DTL 238-1	EACH	1	\$	\$
4.1.17	LANDSCAPING	LSUM	1	\$	\$
4.1.18	IRRIGATION	LSUM	1	\$	\$
4.1.19	DECORATIVE RAILING	LF	111	\$	\$
4.1.20	PREFORMED PAVEMENT MARKING TYPE 1 (PERMANENT)	LF	1,944	\$	\$
4.1.21	SIGN POST (PERFORATED) (2 1/2 S)	LF	36	\$	\$
4.1.22	SIGN POST (PERFORATED) (2 1/2 T)	LF	20	\$	\$
4.1.23	FOUNDATION FOR SIGN POST (CONCRETE)	EACH	5	\$	\$
4.1.24	WARNING, MARKER, OR REGULATORY SIGN PANEL	SF	68	\$	\$
4.1.25	SLIP BASE (FOR PERFORATED POST)	EACH	2	\$	\$
4.1.26	METER PEDESTAL CABINET (LIGHTING)	EACH	1	\$	\$
4.1.27	METER PEDESTAL CABINET (BATTERY BACKUP, SIGNAL)	EACH	1	\$	\$
4.1.28	CONTROL CABINET (TYPE IV)	EACH	1	\$	\$
4.1.29	POLE (TYPE A)	EACH	4	\$	\$

4.1.30	POLE FOUNDATION (TYPE A)	EACH	4	\$	\$
4.1.31	TRAFFIC SIGNAL FACE (TYPE F) (MOD H)	EACH	4	\$	\$
4.1.32	TRAFFIC SIGNAL FACE (PEDESTRIAN)(MAN/HAND)	EACH	4	\$	\$
4.1.33	PEDESTRIAN PUSH BUTTON (AUDIBLE)	EACH	4	\$	\$
4.1.34	TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE IV)	EACH	4	\$	\$
4.1.35	TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE XI)	EACH	4	\$	\$
4.1.36	ELECTRICAL CONDUIT (2") (PVC)	LF	210	\$	\$
4.1.37	ELECTRICAL CONDUIT (3") (PVC)	LF	690	\$	\$
4.1.38	PULL BOX (NO. 5)	EACH	2	\$	\$
4.1.39	PULL BOX (NO. 7)	EACH	6	\$	\$
4.1.40	PULL BOX (NO. 7) (WITH EXTENSION)	EACH	1	\$	\$
4.1.41	CONDUCTORS (TRAFFIC SIGNALS)	L.SUM	1	\$	\$
4.1.42	MISCELLANEOUS (ELECTRICAL)	L.SUM	1	\$	\$
4.1.43	MISCELLANEOUS WORK (SIGN MOUNT BRACKET)	EACH	4	\$	\$
4.1.44	MISCELLANEOUS WORK (POLE (30') (Decorative))	EACH	2	\$	\$
4.1.45	MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE))	EACH	2	\$	\$
4.1.46	FORCE ACCOUNT WORK (ELECTRICAL SERVICE)	L.SUM	1	\$3,400.00	\$ 3,400.00
4.1.47	MISCELLANEOUS WORK (MAST ARM (Decorative))	EACH	2	\$	\$
4.1.48	MISCELLANEOUS WORK (LUMINAIRE (LED) (Glassworks Decorative))	EACH	2	\$	\$

Total Alternative Bid Item 1 Costs: \$ _____

Alternative Bid Item 2

1.8	MATERIALS TESTING	JOB	1	\$	\$
1.9	CONSTRUCTION SURVEY AND LAYOUT	JOB	1	\$	\$

1.10	AS-BUILT PREPARATION	JOB	1	\$	\$
2.2.1	MOBILIZATION/DEMOBILIZATION	JOB	1	\$	\$
4.2.1	9-FOOT WATERWHEEL	EACH	1	\$	\$
4.2.2	WHEEL SUPPORT COLUMN	EACH	1	\$	\$
4.2.3	WHEEL SCUPPER AND SUPPORT SYSTEM	EACH	1	\$	\$
4.2.4	WATER BASIN AND CONTAINMENT TROUGH	EACH	1	\$	\$
4.2.5	IRONWORKS WATER GRADE (8-INCH RIVER ROCK FINISH)	LF	20	\$	\$
4.2.6	POND PUMP	EACH	1	\$	\$
4.2.7	WATER METER AND BACKFLOW PREVENTER	EACH	1	\$	\$
4.2.8	AGT GLOW STONE	SF	32	\$	\$
4.2.9	CIP SEAT WALL	LF	10	\$	\$
4.2.10	HAND WATER PUMP AND ACTIVATOR	EACH	1	\$	\$
4.2.11	1-INCH SCH 40 PVC	LF	135	\$	\$
4.2.12	2-INCH SCH 40 PVC SLEEVE	EACH	22	\$	\$
4.2.13	FLAT SHEET ALUMINUM SIGN PANEL	SF	5	\$	\$
4.2.14	CONDUCTOR (NO.8)	LF	50	\$	\$

Total Alternative Bid Item 2 Costs: \$

CIP: COMPLETE IN PLACE

The lowest bidder, Owner reserves the right to vary the quantities shown at their discretion. The contractor will accept the quantities if no corrections are made at the conclusion of the pre-bid meeting. All facilities incidental to the item are included in the unit price estimate. Bid Prices submitted include all local, state, and federal taxes.

The lowest bidder will be defined based upon a combination of the base bid amount plus one alternative bid item, or a combination of alternative bid items as determined by the City of Sedona to be in its best interest.

UNIT PRICES SHALL BE USED WHEN EXTENSION OF UNIT PRICES AND TOTAL AMOUNT CONFLICT. WRITTEN UNIT PRICES SHALL BE USED WHEN WRITTEN AND NUMERICAL UNIT PRICES CONFLICT. BID PRICES SUBMITTED INCLUDE ALL LOCAL, STATE AND FEDERAL TAXES.

The City of Sedona reserves the right to reject all bids, or to award only the base bid, or to award a bid based upon the total of the Base Bid plus additive alternate(s) as selected for award from the additive alternate bid schedule, if additive alternate bid schedule is applicable.

The Additive or Alternative Bid Schedule Items are for improvement work that the City of Sedona, at its sole discretion, may authorize for inclusion in the contract as additive or alternate work following closure of bidding. Additive or Alternative Bid items are not guaranteed to be part of the awarded contract work and the City of Sedona may select any one or combination of Additive or Alternative Bid items from the Additive or Alternative Bid Schedule(s) for inclusion in the contract work.

BIDDERS MUST COMPLETE AND PROVIDE PRICING FOR BOTH THE BASE BID SCHEDULE AND ALL ADDITIVE/ALTERNATIVE BID SCHEDULES. FAILURE TO COMPLETE AND SUBMIT PRICING FOR THE BASE BID SCHEDULE AND ALL ADDITIVE/ALTERNATIVE BID SCHEDULES MAY RENDER A BID NON-RESPONSIVE AND MAY BE GROUNDS FOR REJECTION OF THE BID.

ITEM DESCRIPTION	UNIT	QUANTITY TOTAL
MATERIALS TESTING	JOB	1
CONSTRUCTION SURVEY AND LAYOUT	JOB	1
AS-BUILT PREPARATION	JOB	1
MOBILIZATION/DEMOLITION	JOB	1
MAINTENANCE AND PROTECTION OF TRAFFIC	JOB	1
STORM WATER POLLUTION PREVENTION PLAN	JOB	1
REMOVE AND SALVAGE EXISTING PROPERTY WALL	LF	78
REMOVE EXST SITE WALL	LF	22
REMOVE AND SALVAGE EXST POLE WITH WIND ART	EACH	3
REMOVE AND SALVAGE EXST TLAQUEPAQUE ARCH SIGN	EACH	1
REMOVE EXST ASPHALTIC CONCRETE PAVEMENT	SY	15
REMOVE EXST CONCRETE SIDEWALK	SF	381
REMOVE AND STOCKPILE EXISTING EROSION PROTECTION	LSUM	1
REMOVE EXST GABIONS	SF	120
REMOVE AND RELOCATE EXST WATER QUALITY BOX	EACH	1
RELOCATE FIRE HYDRANT	EACH	1
RELOCATE EXSTING PROPERTY WALL LIGHTS	EACH	2
RELOCATE AND ROTATE EXST WATER METER	EACH	1
RELOCATE EXST LIGHT POLE	EACH	2
RELOCATE EXST CATV BOX	EACH	1
ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270	EACH	1
REMOVE EXST DUMPED RIPRAP	CU. YD.	735
RELOCATE EXST TELCO PEDESTAL	EACH	1
TREE PROTECTION SHORING	LSUM	1
TEMPORARY FILL STABILIZATION	LSUM	1
SUBGRADE PREP	SY	764
CHANNEL EXCAVATION (INCL. HAUL OFFSITE)	CY	1,765
AGGREGATE BASE COURSE	TON	151
SIDEWALK TOEDOWN	SF	611
CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH	SF	5,589
CONCRETE PAVERS	SF	104
CURB MOUNTED DECORATIVE RAILING	LF	129
MEDIAN BOLLARDS AND CHAIN (SPECIAL DETAIL)	EACH	4
3-FT MAN GATE WITH LOCK	EACH	1
REINFORCED CONCRETE CANTILEVER RETAINING WALL	SF	3,214
MASONRY PROPERTY WALL	SF	700
SHORT CONCRETE GRAVITY WALL	SF	51
REINFORCED CONCRETE SLAB OVERHANG	SF	572
NEW MODIFIED MAG 206 CONCRETE SCUPPER	EACH	1
NEW DRAIN INLET	EACH	4
PRESSURE INJECTED GROUT	LSUM	1
PLACE SALVAGED DUMPED RIVER ROCK	CY	340
GABION MATTRESS AND BASKETS	CY	31
LANDSCAPING	LSUM	1

ITEM DESCRIPTION	UNIT	QUANTITY TOTAL
IRRIGATION	LSUM	1
TLAQUEPAQUE PROPERTY SYCAMORE TREE PROTECTION	LSUM	1
CONCRETE BARRIER	LF	208
CONCRETE BARRER WITH HANDRAIL	LF	52
DECORATIVE RAILING	LF	663
DECORATIVE RAILING WITH HANDRAIL	LF	216
HANDRAIL (WALL ATTACHMENT)	LF	243
TRASH RECEPTACLE	EACH	3
SIGN POST (PERFORATED) (2 S)	L.FT.	32
SIGN POST (PERFORATED) (2 1/2 S)	L.FT.	32
FOUNDATION FOR SIGN POST (CONCRETE)	EACH	5
WARNING, MARKER, OR REGULATORY SIGN PANEL	SF	14
FLAT SHEET ALUMINUM SIGN PANEL	SF	32
WATERBORNE-TYPE I PAVEMENT MARKING(PAINTED)(YELLOW)	LF	126
ELECTRICAL CONDUIT (1") (PVC)	LF	80
ELECTRICAL CONDUIT (1 1/2") (PVC)	LF	760
PULL BOX (NO. 5)	EACH	4
PULL BOX (6" x 6" In Wall)	EACH	3
PULL BOX (8" x 6" In Wall)	EACH	9
CONDUCTOR (NO. 12)	LF	1,920
CONDUCTOR (NO. 10)	LF	540
CONDUCTOR (NO. 8)	LF	1,520
CONDUCTOR (INSULATED BOND)	LF	840
METER PEDESTAL CABINET (LIGHTING)	EACH	1
MISCELLANEOUS WORK (LED Rope)	LF	40
MISCELLANEOUS WORK (POLE (14') (Decorative))	EACH	5
MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE))	EACH	5
MISCELLANEOUS WORK (MAST ARM (Decorative))	EACH	5
MISCELLANEOUS WORK (LUMINAIRE (LED) (GBLF3 Decorative))	EACH	5
MISCELLANEOUS WORK (Step Light Wall Fixture)	EACH	20
PAINT EXST ADOT FACILITIES	LSUM	1
CONCRETE STAIN COLOR TREATMENT	EACH	1
WINDOW AND FRAME ART PANEL	LSUM	2
BARREL SIGN BASE	EACH	3

ITEM DESCRIPTION	UNIT	QUANTITY TOTAL
MATERIALS TESTING	JOB	1
CONSTRUCTION SURVEY AND LAYOUT	JOB	1
AS-BUILT PREPARATION	JOB	1
MOBILIZATION/DEMOLITION	JOB	1
MAINTENANCE AND PROTECTION OF TRAFFIC	JOB	1
STORM WATER POLLUTION PREVENTION PLAN	JOB	1
REMOVE AND SALVAGE EXST DECORATIVE BOULDER	EACH	1
ADJUST VALVE BOX AND COVER TO GRADE PER MAG STD DTL 270	EACH	1
REMOVE CURB AND GUTTER	LF	11
REMOVE SINGLE CURB	LF	35
REMOVE CONCRETE SIDEWALK	SF	1,579
REMOVE AND REINSTALL SIGN	EACH	1
OBLITERATE PAVEMENT MARKING (STRIPE)	LF	2,619
JACKING, BORING OR TUNNELING PIPE	LF	150
ADJUST STORM DRAIN MANHOLE TO GRADE, MAG DTL 422	EACH	1
AGGREGATE BASE COURSE	TON	47
CONCRETE SIDEWALK PER MAG STD DTL 230 WITH MESH	SF	2,157
CURB & GUTTER MAG STD DTL 220, TYPE A	LF	15
SINGLE CURB, MAG DTL 222 TYPE A	LF	132
DETECTABLE WARNING	EACH	3
PERPENDICULAR CURB RAMP, MODIFIED MAG DTL 238-1	EACH	1
LANDSCAPING	LSUM	1
IRRIGATION	LSUM	1
DECORATIVE RAILING	LF	111
PREFORMED PAVEMENT MARKING TYPE 1 (PERMANENT)	L.FT.	1,944
SIGN POST (PERFORATED) (2 1/2 S)	L.FT.	36
SIGN POST (PERFORATED) (2 1/2 T)	L.FT.	20
FOUNDATION FOR SIGN POST (CONCRETE)	EACH	5
WARNING, MARKER, OR REGULATORY SIGN PANEL	SF	68
SLIP BASE (FOR PERFORATED POST)	EACH	2
METER PEDESTAL CABINET (LIGHTING)	EACH	1
METER PEDESTAL CABINET (BATTERY BACKUP, SIGNAL)	EACH	1
CONTROL CABINET (TYPE IV)	EACH	1
POLE (TYPE A)	EACH	4
POLE FOUNDATION (TYPE A)	EACH	4
TRAFFIC SIGNAL FACE (TYPE F) (MOD H)	EACH	4
TRAFFIC SIGNAL FACE (PEDESTRIAN)(MAN/HAND)	EACH	4
PEDESTRIAN PUSH BUTTON (AUDIBLE)	EACH	4
TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE IV)	EACH	4
TRAFFIC SIGNAL MOUNTING ASSEMBLY (TYPE XI)	EACH	4
ELECTRICAL CONDUIT (2") (PVC)	LF	210
ELECTRICAL CONDUIT (3") (PVC)	LF	690
PULL BOX (NO. 5)	EACH	2
PULL BOX (NO. 7)	EACH	6
PULL BOX (NO. 7) (WITH EXTENSION)	EACH	1
CONDUCTORS (TRAFFIC SIGNALS)	L.SUM	1
MISCELLANEOUS (ELECTRICAL)	L.SUM	1
MISCELLANEOUS WORK (SIGN MOUNT BRACKET)	EACH	4
MISCELLANEOUS WORK (POLE (30') (Decorative))	EACH	2
MISCELLANEOUS WORK (POLE FOUNDATION (STANDARD BASE))	EACH	2
FORCE ACCOUNT WORK (ELECTRICAL SERVICE)	L.SUM	1
MISCELLANEOUS WORK (MAST ARM (Decorative))	EACH	2
MISCELLANEOUS WORK (LUMINAIRE (LED) (Glaswerks Decorative))	EACH	2

1 BID ALTERNATIVE #1. SEE SPECIAL PROVISIONS.

Symbol	Revisions	Date	Appr.	Designed by: JI	Date: 09/06/2022			WSP USA Inc. 1230 W. Washington St. Suite 405 Tempe, AZ 85281		CITY OF SEDONA PUBLIC WORKS DEPARTMENT 102 ROADRUNNER DRIVE SEDONA, ARIZONA 86336 928-204-7111	SR 179 PEDESTRIAN CROSSING AT OAK CREEK SEDONA, ARIZONA		SHEET ID C5	
				Drawn by: CPG	Scale: NOT TO SCALE						QUANTITY SUMMARY SHEET		SHEET NO. 5	OF 44
				Checked by: JKF	Project Code: CIVIL									